














































HUMIPHOS Novaem NP 19 - 28 + 24%SO ₃ , 0,97 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	18 m	20 m			21 m			24 m			24 m					
	S 4	S 4			S 4			S 4			S 6					
l/min	900	900			900			900			900					
	50 / 50	50 / 50			50 / 50			50 / 50			50 / 50					
	4,5	4,5			4,5			5,5			5					
	159	159			159			159			172					
	2,5	3			3			4			3,5					
l/min	350	400			400			500			450					
	4	4,5			4,5			5,5			5					
l/min	450	550			550			600			550					
0.8		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	28.8	120			108			103								
50	37.1	155	124	103	139	111		132	106		116			116		
60	44.8	187	149	124	168	134	112	160	128	107	140	112		140	112	
70	52	217	173	144	195	156	130	186	149	124	162	130	108	162	130	108
80	60	250	200	167	225	180	150	214	171	143	188	150	125	188	150	125
90	68	283	227	189	255	204	170	243	194	162	212	170	142	212	170	142
100	75	312	250	208	281	225	188	268	214	179	234	188	156	234	188	156
110	83	346	277	231	311	249	208	296	237	198	259	208	173	259	208	173
120	90	375	300	250	338	270	225	321	257	214	281	225	188	281	225	188
130	97	404	323	269	364	291	242	346	277	231	303	242	202	303	242	202
140	104	433	347	289	390	312	260	371	297	248	325	260	217	325	260	217
150	112	467	373	311	420	336	280	400	320	267	350	280	233	350	280	233
160	119	496	397	331	446	357	298	425	340	283	372	298	248	372	298	248
170	126	525	420	350	472	378	315	450	360	300	394	315	262	394	315	262
180	133	554	443	369	499	399	332	475	380	317	416	332	277	416	332	277
190	141	588	470	392	529	423	352	504	403	336	441	352	294	441	352	294
200	148		493	411	555	444	370	529	423	352	462	370	308	462	370	308
210	155		517	431	581	465	388	554	443	369	484	388	323	484	388	323
220	162		540	450		486	405	579	463	386	506	405	338	506	405	338
230	170		567	472		510	425		486	405	531	425	354	531	425	354
240	177		590	492		531	442		506	421	553	442	369	553	442	369
250	184			511		552	460		526	438	575	460	383	575	460	383
260	192			533		576	480		549	457	600	480	400	600	480	400
270	199			553		597	498		569	474		498	415		498	415
280	206			572			515		589	490		515	429		515	429
290	214			594			535			510		535	446		535	446
300	221						552			526		552	460		552	460
310	228						570			543		570	475		570	475
320	235						588			560		588	490		588	490
330	242									576			504			504
340	249									593			519			519

HUMIPHOS Novaem NP 19 - 28 + 24%SO ₃ , 0,97 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	25 m			25 m			27 m			27 m			28 m			
	S 4			S 6			S 4			S 6			S 4			
l/min	900			900			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	5,5			5			6,5			6			6,5			
	159			172			159			172			159			
	4			3,5			5			4,5			5			
l/min	500			450			550			550			550			
	5,5			5			6,5			6			6,5			
l/min	600			550			700			650			700			
0.8		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	37.1	111			111			103			103					
60	44.8	134	108		134	108		124			124			120		
70	52	156	125	104	156	125	104	144	116		144	116		139	111	
80	60	180	144	120	180	144	120	167	133	111	167	133	111	161	129	107
90	68	204	163	136	204	163	136	189	151	126	189	151	126	182	146	121
100	75	225	180	150	225	180	150	208	167	139	208	167	139	201	161	134
110	83	249	199	166	249	199	166	231	184	154	231	184	154	222	178	148
120	90	270	216	180	270	216	180	250	200	167	250	200	167	241	193	161
130	97	291	233	194	291	233	194	269	216	180	269	216	180	260	208	173
140	104	312	250	208	312	250	208	289	231	193	289	231	193	279	223	186
150	112	336	269	224	336	269	224	311	249	207	311	249	207	300	240	200
160	119	357	286	238	357	286	238	331	264	220	331	264	220	319	255	212
170	126	378	302	252	378	302	252	350	280	233	350	280	233	338	270	225
180	133	399	319	266	399	319	266	369	296	246	369	296	246	356	285	238
190	141	423	338	282	423	338	282	392	313	261	392	313	261	378	302	252
200	148	444	355	296	444	355	296	411	329	274	411	329	274	396	317	264
210	155	465	372	310	465	372	310	431	344	287	431	344	287	415	332	277
220	162	486	389	324	486	389	324	450	360	300	450	360	300	434	347	289
230	170	510	408	340	510	408	340	472	378	315	472	378	315	455	364	304
240	177	531	425	354	531	425	354	492	393	328	492	393	328	474	379	316
250	184	552	442	368	552	442	368	511	409	341	511	409	341	493	394	329
260	192	576	461	384	576	461	384	533	427	356	533	427	356	514	411	343
270	199	597	478	398	597	478	398	553	442	369	553	442	369	533	426	355
280	206		494	412		494	412	572	458	381	572	458	381	552	441	368
290	214		514	428		514	428	594	476	396	594	476	396	573	459	382
300	221		530	442		530	442		491	409		491	409	592	474	395
310	228		547	456		547	456		507	422		507	422		489	407
320	235		564	470		564	470		522	435		522	435		504	420
330	242		581	484		581	484		538	448		538	448		519	432
340	249		598	498		598	498		553	461		553	461		534	445
350	256			512			512		569	474		569	474		549	457

HUMIPHOS Novaem NP 19 - 28 + 24%SO ₃ , 0,97 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	28 m			30 m			30 m			32 m			32 m			
	S 6			S 6			S 8			S 6			S 8			
l/min	900			900			900			1000			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	6			7			6,5			7,5			7			
	172			172			181			180			181			
	4,5			5,5			5			6,5			5,5			
l/min	550			600			550			650			600			
	6			7			6,5			7,5			7			
l/min	650			700			650			750			700			
0.8		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	44.8	120			112			112			105			105		
70	52	139	111		130	104		130	104		122			122		
80	60	161	129	107	150	120	100	150	120	100	141	112		141	112	
90	68	182	146	121	170	136	113	170	136	113	159	128	106	159	128	106
100	75	201	161	134	188	150	125	188	150	125	176	141	117	176	141	117
110	83	222	178	148	208	166	138	208	166	138	195	156	130	195	156	130
120	90	241	193	161	225	180	150	225	180	150	211	169	141	211	169	141
130	97	260	208	173	242	194	162	242	194	162	227	182	152	227	182	152
140	104	279	223	186	260	208	173	260	208	173	244	195	162	244	195	162
150	112	300	240	200	280	224	187	280	224	187	262	210	175	262	210	175
160	119	319	255	212	298	238	198	298	238	198	279	223	186	279	223	186
170	126	338	270	225	315	252	210	315	252	210	295	236	197	295	236	197
180	133	356	285	238	332	266	222	332	266	222	312	249	208	312	249	208
190	141	378	302	252	352	282	235	352	282	235	330	264	220	330	264	220
200	148	396	317	264	370	296	247	370	296	247	347	278	231	347	278	231
210	155	415	332	277	388	310	258	388	310	258	363	291	242	363	291	242
220	162	434	347	289	405	324	270	405	324	270	380	304	253	380	304	253
230	170	455	364	304	425	340	283	425	340	283	398	319	266	398	319	266
240	177	474	379	316	442	354	295	442	354	295	415	332	277	415	332	277
250	184	493	394	329	460	368	307	460	368	307	431	345	288	431	345	288
260	192	514	411	343	480	384	320	480	384	320	450	360	300	450	360	300
270	199	533	426	355	498	398	332	498	398	332	466	373	311	466	373	311
280	206	552	441	368	515	412	343	515	412	343	483	386	322	483	386	322
290	214	573	459	382	535	428	357	535	428	357	502	401	334	502	401	334
300	221	592	474	395	552	442	368	552	442	368	518	414	345	518	414	345
310	228		489	407	570	456	380	570	456	380	534	428	356	534	428	356
320	235		504	420	588	470	392	588	470	392	551	441	367	551	441	367
330	242		519	432		484	403		484	403	567	454	378	567	454	378
340	249		534	445		498	415		498	415	584	467	389	584	467	389
350	256		549	457		512	427		512	427	600	480	400	600	480	400
360	264		566	471		528	440		528	440		495	412		495	412

HUMIPHOS Novaem NP 19 - 28 + 24%SO ₃ , 0,97 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	33 m			33 m			35 m			35 m			36 m			
	S 6			S 8			S 6			S 8			S 6			
l/min	1000			900			1000			900			1000			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	7,5			7			8,5			8			8,5			
	180			181			180			181			180			
	6,5			5,5			7,5			6,5			7,5			
l/min	650			600			700			650			700			
	7,5			7			8,5			8			8,5			
l/min	750			700			850			800			850			
0.8		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	44.8	102			102											
70	52	118			118			111			111			108		
80	60	136	109		136	109		129	103		129	103		125	100	
90	68	155	124	103	155	124	103	146	117		146	117		142	113	
100	75	170	136	114	170	136	114	161	129	107	161	129	107	156	125	104
110	83	189	151	126	189	151	126	178	142	119	178	142	119	173	138	115
120	90	205	164	136	205	164	136	193	154	129	193	154	129	188	150	125
130	97	220	176	147	220	176	147	208	166	139	208	166	139	202	162	135
140	104	236	189	158	236	189	158	223	178	149	223	178	149	217	173	144
150	112	255	204	170	255	204	170	240	192	160	240	192	160	233	187	156
160	119	270	216	180	270	216	180	255	204	170	255	204	170	248	198	165
170	126	286	229	191	286	229	191	270	216	180	270	216	180	262	210	175
180	133	302	242	202	302	242	202	285	228	190	285	228	190	277	222	185
190	141	320	256	214	320	256	214	302	242	201	302	242	201	294	235	196
200	148	336	269	224	336	269	224	317	254	211	317	254	211	308	247	206
210	155	352	282	235	352	282	235	332	266	221	332	266	221	323	258	215
220	162	368	295	245	368	295	245	347	278	231	347	278	231	338	270	225
230	170	386	309	258	386	309	258	364	291	243	364	291	243	354	283	236
240	177	402	322	268	402	322	268	379	303	253	379	303	253	369	295	246
250	184	418	335	279	418	335	279	394	315	263	394	315	263	383	307	256
260	192	436	349	291	436	349	291	411	329	274	411	329	274	400	320	267
270	199	452	362	302	452	362	302	426	341	284	426	341	284	415	332	276
280	206	468	375	312	468	375	312	441	353	294	441	353	294	429	343	286
290	214	486	389	324	486	389	324	459	367	306	459	367	306	446	357	297
300	221	502	402	335	502	402	335	474	379	316	474	379	316	460	368	307
310	228	518	415	345	518	415	345	489	391	326	489	391	326	475	380	317
320	235	534	427	356	534	427	356	504	403	336	504	403	336	490	392	326
330	242	550	440	367	550	440	367	519	415	346	519	415	346	504	403	336
340	249	566	453	377	566	453	377	534	427	356	534	427	356	519	415	346
350	256	582	465	388	582	465	388	549	439	366	549	439	366	533	427	356
360	264	600	480	400	600	480	400	566	453	377	566	453	377	550	440	367

HUMIPHOS Novaem											AXIS - H (hydr.) 30 / 40					
NP 19 - 28 + 24%SO ₃ , 0,97 kg / l											épandage normal					
	36 m															
	S 8															
l/min	900															
	50 / 50															
	8															
	181															
	6,5															
l/min	650															
	8															
l/min	800															
	0.8	kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
70	52	108														
80	60	125	100													
90	68	142	113													
100	75	156	125	104												
110	83	173	138	115												
120	90	188	150	125												
130	97	202	162	135												
140	104	217	173	144												
150	112	233	187	156												
160	119	248	198	165												
170	126	262	210	175												
180	133	277	222	185												
190	141	294	235	196												
200	148	308	247	206												
210	155	323	258	215												
220	162	338	270	225												
230	170	354	283	236												
240	177	369	295	246												
250	184	383	307	256												
260	192	400	320	267												
270	199	415	332	276												
280	206	429	343	286												
290	214	446	357	297												
300	221	460	368	307												
310	228	475	380	317												
320	235	490	392	326												
330	242	504	403	336												
340	249	519	415	346												
350	256	533	427	356												
360	264	550	440	367												
370	271	565	452	376												