


































































NOVALIA Novaem PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		12 m			12 m			15 m			15 m			16 m		
		S 1			S 2			S 1			S 2			S 1		
		450			450			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		4,5			4,5			5			5			5		
		72			72			88			88			88		
		H 12			H 12			H 12			H 12			H 12		
		390			390			420			420			420		
		H 12			H 12			K 12,5			K 12,5			K 12,5		
		420			420			480			480			480		
0.95		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
30	22.9	143	114		143	114		114			114			107		
40	32.0	200	160	133	200	160	133	160	128	107	160	128	107	150	120	100
50	41.1	257	206	171	257	206	171	206	164	137	206	164	137	193	154	128
60	49.7	311	248	207	311	248	207	248	199	166	248	199	166	233	186	155
70	58	362	290	242	362	290	242	290	232	193	290	232	193	272	218	181
80	67	419	335	279	419	335	279	335	268	223	335	268	223	314	251	209
90	75	469	375	312	469	375	312	375	300	250	375	300	250	352	281	234
100	84	525	420	350	525	420	350	420	336	280	420	336	280	394	315	262
110	92	575	460	383	575	460	383	460	368	307	460	368	307	431	345	288
120	100		500	417		500	417	500	400	333	500	400	333	469	375	312
130	108		540	450		540	450	540	432	360	540	432	360	506	405	338
140	117		585	488		585	488	585	468	390	585	468	390	548	439	366
150	125			521			521		500	417		500	417	586	469	391
160	133			554			554		532	443		532	443		499	416
170	141			588			588		564	470		564	470		529	441
180	149								596	497		596	497		559	466
190	157									523			523		589	491
200	166									553			553			519
210	174									580			580			544
220	182															569
230	191															597













NOVALIA Novaem PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		16 m			18 m			18 m			18 m			20 m		
		S 2			S 1			S 2			S 4			S 4		
		540			540			540			450			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5			5			5			3,5			4,5		
		88			88			88			155			170		
		H 12			K 12,5			K 12,5						H 13		
		420			480			480						420		
		K 12,5			L 13			L 13			K 13			O 13,5		
		480			480			480			450			450		
0.95		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
30	22.9	107														
40	32.0	150	120	100	133	107		133	107		133	107		120		
50	41.1	193	154	128	171	137	114	171	137	114	171	137	114	154	123	103
60	49.7	233	186	155	207	166	138	207	166	138	207	166	138	186	149	124
70	58	272	218	181	242	193	161	242	193	161	242	193	161	218	174	145
80	67	314	251	209	279	223	186	279	223	186	279	223	186	251	201	168
90	75	352	281	234	312	250	208	312	250	208	312	250	208	281	225	188
100	84	394	315	262	350	280	233	350	280	233	350	280	233	315	252	210
110	92	431	345	288	383	307	256	383	307	256	383	307	256	345	276	230
120	100	469	375	312	417	333	278	417	333	278	417	333	278	375	300	250
130	108	506	405	338	450	360	300	450	360	300	450	360	300	405	324	270
140	117	548	439	366	488	390	325	488	390	325	488	390	325	439	351	292
150	125	586	469	391	521	417	347	521	417	347	521	417	347	469	375	312
160	133		499	416	554	443	369	554	443	369	554	443	369	499	399	332
170	141		529	441	588	470	392	588	470	392	588	470	392	529	423	352
180	149		559	466		497	414		497	414		497	414	559	447	372
190	157		589	491		523	436		523	436		523	436	589	471	392
200	166			519		553	461		553	461		553	461		498	415
210	174			544		580	483		580	483		580	483		522	435
220	182			569			506			506			506		546	455
230	191			597			531			531			531		573	478
240	199						553			553			553		597	498
250	207						575			575			575			518
260	216						600			600			600			540
270	224															560
280	232															580

NOVALIA Novaem PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		21 m			24 m			24 m			25 m			25 m		
		S 4			S 4			S 6			S 4			S 6		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		4,5			5			5			5			5		
		170			170			186			170			186		
		H 13			H 13,5			K 13			H 13,5			K 13		
		420			450			420			450			420		
		O 13,5			P 13,5			P 13,5			P 13,5			P 13,5		
		450			480			480			480			480		
0.95		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	32.0	114			100			100								
50	41.1	147	117		128	103		128	103		123			123		
60	49.7	178	142	118	155	124	104	155	124	104	149	119		149	119	
70	58	207	166	138	181	145	121	181	145	121	174	139	116	174	139	116
80	67	239	191	160	209	168	140	209	168	140	201	161	134	201	161	134
90	75	268	214	179	234	188	156	234	188	156	225	180	150	225	180	150
100	84	300	240	200	262	210	175	262	210	175	252	202	168	252	202	168
110	92	329	263	219	288	230	192	288	230	192	276	221	184	276	221	184
120	100	357	286	238	312	250	208	312	250	208	300	240	200	300	240	200
130	108	386	309	257	338	270	225	338	270	225	324	259	216	324	259	216
140	117	418	334	279	366	292	244	366	292	244	351	281	234	351	281	234
150	125	446	357	298	391	312	260	391	312	260	375	300	250	375	300	250
160	133	475	380	317	416	332	277	416	332	277	399	319	266	399	319	266
170	141	504	403	336	441	352	294	441	352	294	423	338	282	423	338	282
180	149	532	426	355	466	372	310	466	372	310	447	358	298	447	358	298
190	157	561	449	374	491	392	327	491	392	327	471	377	314	471	377	314
200	166	593	474	395	519	415	346	519	415	346	498	398	332	498	398	332
210	174		497	414	544	435	362	544	435	362	522	418	348	522	418	348
220	182		520	433	569	455	379	569	455	379	546	437	364	546	437	364
230	191		546	455	597	478	398	597	478	398	573	458	382	573	458	382
240	199		569	474		498	415		498	415	597	478	398	597	478	398
250	207		591	493		518	431		518	431		497	414		497	414
260	216			514		540	450		540	450		518	432		518	432
270	224			533		560	467		560	467		538	448		538	448
280	232			552		580	483		580	483		557	464		557	464
290	241			574			502			502		578	482		578	482
300	249			593			519			519		598	498		598	498
310	258						538			538			516			516
320	266						554			554			532			532

NOVALIA Novaem PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		27 m			27 m			28 m			28 m			30 m		
		S 4			S 6			S 4			S 6			S 6		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		6			5,5			6			5,5			6		
		170			186			170			186			186		
		H 13,5			K 13			H 13,5			K 13			L 13,5		
		480			450			480			450			450		
		P 13,5			P 13,5			P 13,5			P 13,5			Q 13,5		
		540			540			540			540			540		
0.95		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	41.1	114			114			110			110			103		
60	49.7	138	110		138	110		133	106		133	106		124		
70	58	161	129	107	161	129	107	155	124	104	155	124	104	145	116	
80	67	186	149	124	186	149	124	179	144	120	179	144	120	168	134	112
90	75	208	167	139	208	167	139	201	161	134	201	161	134	188	150	125
100	84	233	187	156	233	187	156	225	180	150	225	180	150	210	168	140
110	92	256	204	170	256	204	170	246	197	164	246	197	164	230	184	153
120	100	278	222	185	278	222	185	268	214	179	268	214	179	250	200	167
130	108	300	240	200	300	240	200	289	231	193	289	231	193	270	216	180
140	117	325	260	217	325	260	217	313	251	209	313	251	209	292	234	195
150	125	347	278	231	347	278	231	335	268	223	335	268	223	312	250	208
160	133	369	296	246	369	296	246	356	285	238	356	285	238	332	266	222
170	141	392	313	261	392	313	261	378	302	252	378	302	252	352	282	235
180	149	414	331	276	414	331	276	399	319	266	399	319	266	372	298	248
190	157	436	349	291	436	349	291	421	336	280	421	336	280	392	314	262
200	166	461	369	307	461	369	307	445	356	296	445	356	296	415	332	277
210	174	483	387	322	483	387	322	466	373	311	466	373	311	435	348	290
220	182	506	404	337	506	404	337	488	390	325	488	390	325	455	364	303
230	191	531	424	354	531	424	354	512	409	341	512	409	341	478	382	318
240	199	553	442	369	553	442	369	533	426	355	533	426	355	498	398	332
250	207	575	460	383	575	460	383	554	444	370	554	444	370	518	414	345
260	216	600	480	400	600	480	400	579	463	386	579	463	386	540	432	360
270	224		498	415		498	415	600	480	400	600	480	400	560	448	373
280	232		516	430		516	430		497	414		497	414	580	464	387
290	241		536	446		536	446		516	430		516	430		482	402
300	249		553	461		553	461		534	445		534	445		498	415
310	258		573	478		573	478		553	461		553	461		516	430
320	266		591	493		591	493		570	475		570	475		532	443
330	274			507			507		587	489		587	489		548	457

NOVALIA Novaem PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
	30 m			32 m			32 m			33 m			33 m			
	S 8			S 6			S 8			S 6			S 8			
	450			540			540			540			540			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	5,5			6,5			6			6,5			6			
	184			186			219			186			219			
	L 13,5			L 13,5			L 13,5			L 13,5			L 13,5			
	420			480			450			480			450			
	Q 13,5			R 13,5			R 13,5			R 13,5			R 13,5			
	450			540			540			540			540			
	0.95	kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	41.1	103														
60	49.7	124			116			116			113			113		
70	58	145	116		136	109		136	109		132	105		132	105	
80	67	168	134	112	157	126	105	157	126	105	152	122	102	152	122	102
90	75	188	150	125	176	141	117	176	141	117	170	136	114	170	136	114
100	84	210	168	140	197	158	131	197	158	131	191	153	127	191	153	127
110	92	230	184	153	216	172	144	216	172	144	209	167	139	209	167	139
120	100	250	200	167	234	188	156	234	188	156	227	182	152	227	182	152
130	108	270	216	180	253	202	169	253	202	169	245	196	164	245	196	164
140	117	292	234	195	274	219	183	274	219	183	266	213	177	266	213	177
150	125	312	250	208	293	234	195	293	234	195	284	227	189	284	227	189
160	133	332	266	222	312	249	208	312	249	208	302	242	202	302	242	202
170	141	352	282	235	330	264	220	330	264	220	320	256	214	320	256	214
180	149	372	298	248	349	279	233	349	279	233	339	271	226	339	271	226
190	157	392	314	262	368	294	245	368	294	245	357	285	238	357	285	238
200	166	415	332	277	389	311	259	389	311	259	377	302	252	377	302	252
210	174	435	348	290	408	326	272	408	326	272	395	316	264	395	316	264
220	182	455	364	303	427	341	284	427	341	284	414	331	276	414	331	276
230	191	478	382	318	448	358	298	448	358	298	434	347	289	434	347	289
240	199	498	398	332	466	373	311	466	373	311	452	362	302	452	362	302
250	207	518	414	345	485	388	323	485	388	323	470	376	314	470	376	314
260	216	540	432	360	506	405	338	506	405	338	491	393	327	491	393	327
270	224	560	448	373	525	420	350	525	420	350	509	407	339	509	407	339
280	232	580	464	387	544	435	362	544	435	362	527	422	352	527	422	352
290	241		482	402	565	452	377	565	452	377	548	438	365	548	438	365
300	249		498	415	584	467	389	584	467	389	566	453	377	566	453	377
310	258		516	430		484	403		484	403	586	469	391	586	469	391
320	266		532	443		499	416		499	416		484	403		484	403
330	274		548	457		514	428		514	428		498	415		498	415

NOVALIA Novaem											AXIS - M (mech.) 30 / 40					
PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											épandage normal					
	35 m			35 m			35 m			36 m			36 m			
	S 6			S 6			S 8			S 6			S 6			
	540			540			540			540			540			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	7,5			7			7			7,5			7			
	186			186			219			186			186			
	Q 13,5			Q 13,5			P 13,5			Q 13,5			Q 13,5			
	480			480			540			480			480			
	U 14			U 14			T 14			U 14			U 14			
	540			540			540			540			540			
	0.95	kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	49.7	106						106			104					
70	58	124						124			121					
80	67	144	115					144	115		140	112				
90	75	161	129	107				161	129	107	156	125	104			
100	84	180	144	120				180	144	120	175	140	117			
110	92	197	158	131				197	158	131	192	153	128			
120	100	214	171	143				214	171	143	208	167	139			
130	108	231	185	154				231	185	154	225	180	150			
140	117	251	201	167				251	201	167	244	195	162			
150	125	268	214	179				268	214	179	260	208	174			
160	133	285	228	190				285	228	190	277	222	185			
170	141	302	242	201				302	242	201	294	235	196			
180	149	319	255	213				319	255	213	310	248	207			
190	157	336	269	224				336	269	224	327	262	218			
200	166	356	285	237				356	285	237	346	277	231			
210	174	373	298	249				373	298	249	362	290	242			
220	182	390	312	260				390	312	260	379	303	253			
230	191	409	327	273				409	327	273	398	318	265			
240	199	426	341	284				426	341	284	415	332	276			
250	207	444	355	296				444	355	296	431	345	288			
260	216	463	370	309				463	370	309	450	360	300			
270	224	480	384	320				480	384	320	467	373	311			
280	232	497	398	331				497	398	331	483	387	322			
290	241	516	413	344				516	413	344	502	402	335			
300	249	534	427	356				534	427	356	519	415	346			
310	258	553	442	369				553	442	369	538	430	358			
320	266	570	456	380				570	456	380	554	443	369			
330	274	587	470	391				587	470	391	571	457	381			
340	283		485	404		485	404		485	404	590	472	393	590	472	393

NOVALIA Novaem											AXIS - M (mech.) 30 / 40					
PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											épandage normal					
	36 m			40 m			42 m									
	S 8			S 8			S 8									
	540			540			570									
	50 / 50			50 / 50			50 / 50									
	7			8			8									
	219			219			233									
	P 13,5			R 13,5			R 13,5									
	480			480			510									
	T 14			V 14			V 14									
	540			540			570									
	0.95	kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	49.7	104														
70	58	121			109			104								
80	67	140	112		126	100		120								
90	75	156	125	104	141	112		134	107							
100	84	175	140	117	158	126	105	150	120	100						
110	92	192	153	128	172	138	115	164	131	110						
120	100	208	167	139	188	150	125	179	143	119						
130	108	225	180	150	202	162	135	193	154	129						
140	117	244	195	162	219	176	146	209	167	139						
150	125	260	208	174	234	188	156	223	179	149						
160	133	277	222	185	249	200	166	238	190	158						
170	141	294	235	196	264	212	176	252	201	168						
180	149	310	248	207	279	224	186	266	213	177						
190	157	327	262	218	294	236	196	280	224	187						
200	166	346	277	231	311	249	208	296	237	198						
210	174	362	290	242	326	261	218	311	249	207						
220	182	379	303	253	341	273	228	325	260	217						
230	191	398	318	265	358	286	239	341	273	227						
240	199	415	332	276	373	298	249	355	284	237						
250	207	431	345	288	388	310	259	370	296	246						
260	216	450	360	300	405	324	270	386	309	257						
270	224	467	373	311	420	336	280	400	320	267						
280	232	483	387	322	435	348	290	414	331	276						
290	241	502	402	335	452	362	301	430	344	287						
300	249	519	415	346	467	374	311	445	356	296						
310	258	538	430	358	484	387	322	461	369	307						
320	266	554	443	369	499	399	332	475	380	317						
330	274	571	457	381	514	411	342	489	391	326						
340	283	590	472	393	531	424	354	505	404	337						