














































NOVALIA Novaem											AXIS - H (hydr.) 30 / 40					
PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											épandage normal					
	18 m			20 m			21 m			24 m			24 m			
	S 4			S 4			S 4			S 4			S 6			
<b>l/min</b>	900			900			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	5,5			5,5			5,5			6			3,5			
	166			166			166			166			186			
	3,5			4			4			4,5			2,5			
<b>l/min</b>	350			400			400			450			400			
	5			5			5			6			3,5			
<b>l/min</b>	450			500			500			550			500			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	32.6	136	109		122			116			102			102		
50	41.3	172	138	115	155	124	103	148	118		129	103		129	103	
60	49.9	208	166	139	187	150	125	178	143	119	156	125	104	156	125	104
70	58	242	193	161	218	174	145	207	166	138	181	145	121	181	145	121
80	67	279	223	186	251	201	168	239	191	160	209	168	140	209	168	140
90	76	317	253	211	285	228	190	271	217	181	238	190	158	238	190	158
100	84	350	280	233	315	252	210	300	240	200	262	210	175	262	210	175
110	93	388	310	258	349	279	232	332	266	221	291	232	194	291	232	194
120	101	421	337	281	379	303	252	361	289	240	316	252	210	316	252	210
130	109	454	363	303	409	327	272	389	311	260	341	272	227	341	272	227
140	117	488	390	325	439	351	292	418	334	279	366	292	244	366	292	244
150	126	525	420	350	472	378	315	450	360	300	394	315	262	394	315	262
160	134	558	447	372	502	402	335	479	383	319	419	335	279	419	335	279
170	142	592	473	394	532	426	355	507	406	338	444	355	296	444	355	296
180	150		500	417	562	450	375	536	429	357	469	375	312	469	375	312
190	159		530	442	596	477	398	568	454	379	497	398	331	497	398	331
200	167		557	464		501	418	596	477	398	522	418	348	522	418	348
210	175		583	486		525	438		500	417	547	438	365	547	438	365
220	184			511		552	460		526	438	575	460	383	575	460	383
230	192			533		576	480		549	457	600	480	400	600	480	400
240	200			556		600	500		571	476		500	417		500	417
250	209			581			522		597	498		522	435		522	435
260	217						542			517		542	452		542	452
270	225						562			536		562	469		562	469
280	234						585			557		585	488		585	488
290	242									576			504			504
300	250									595			521			521
310	259												540			540
320	267												556			556
330	276												575			575
340	284												592			592

NOVALIA Novaem											AXIS - H (hydr.) 30 / 40					
PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											épandage normal					
	25 m			25 m			27 m			27 m			28 m			
	S 4			S 6			S 4			S 6			S 4			
<b>l/min</b>	900			900			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	6			3,5			6,5			4,5			6,5			
	166			186			166			186			166			
	4,5			2,5			5			3,5			5			
<b>l/min</b>	450			400			500			450			500			
	6			3,5			6,5			4,5			6,5			
<b>l/min</b>	550			500			600			550			600			
0.9 kg / ha																
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	41.3	124			124			115			115			111		
60	49.9	150	120		150	120		139	111		139	111		134	107	
70	58	174	139	116	174	139	116	161	129	107	161	129	107	155	124	104
80	67	201	161	134	201	161	134	186	149	124	186	149	124	179	144	120
90	76	228	182	152	228	182	152	211	169	141	211	169	141	204	163	136
100	84	252	202	168	252	202	168	233	187	156	233	187	156	225	180	150
110	93	279	223	186	279	223	186	258	207	172	258	207	172	249	199	166
120	101	303	242	202	303	242	202	281	224	187	281	224	187	271	216	180
130	109	327	262	218	327	262	218	303	242	202	303	242	202	292	234	195
140	117	351	281	234	351	281	234	325	260	217	325	260	217	313	251	209
150	126	378	302	252	378	302	252	350	280	233	350	280	233	338	270	225
160	134	402	322	268	402	322	268	372	298	248	372	298	248	359	287	239
170	142	426	341	284	426	341	284	394	316	263	394	316	263	380	304	254
180	150	450	360	300	450	360	300	417	333	278	417	333	278	402	321	268
190	159	477	382	318	477	382	318	442	353	294	442	353	294	426	341	284
200	167	501	401	334	501	401	334	464	371	309	464	371	309	447	358	298
210	175	525	420	350	525	420	350	486	389	324	486	389	324	469	375	312
220	184	552	442	368	552	442	368	511	409	341	511	409	341	493	394	329
230	192	576	461	384	576	461	384	533	427	356	533	427	356	514	411	343
240	200	600	480	400	600	480	400	556	444	370	556	444	370	536	429	357
250	209		502	418		502	418	581	464	387	581	464	387	560	448	373
260	217		521	434		521	434		482	402		482	402	581	465	388
270	225		540	450		540	450		500	417		500	417		482	402
280	234		562	468		562	468		520	433		520	433		501	418
290	242		581	484		581	484		538	448		538	448		519	432
300	250		600	500		600	500		556	463		556	463		536	446
310	259			518			518		576	480		576	480		555	462
320	267			534			534		593	494		593	494		572	477
330	276			552			552			511			511		591	493
340	284			568			568			526			526			507
350	293			586			586			543			543			523

NOVALIA Novaem											AXIS - H (hydr.) 30 / 40					
PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											épandage normal					
	28 m			30 m			30 m			32 m			32 m			
	S 6			S 6			S 8			S 6			S 8			
<b>l/min</b>	900			900			750			900			750			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	4,5			5			3,5			5			4			
	186			186			177			186			177			
	3,5			4			2,5			4			3			
<b>l/min</b>	450			550			450			600			500			
	4,5			5			3,5			5			4			
<b>l/min</b>	550			650			550			700			600			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	41.3	111			103			103						117		
60	49.9	134	107		125			125			117			117		
70	58	155	124	104	145	116		145	116		136	109		136	109	
80	67	179	144	120	168	134	112	168	134	112	157	126	105	157	126	105
90	76	204	163	136	190	152	127	190	152	127	178	142	119	178	142	119
100	84	225	180	150	210	168	140	210	168	140	197	158	131	197	158	131
110	93	249	199	166	232	186	155	232	186	155	218	174	145	218	174	145
120	101	271	216	180	252	202	168	252	202	168	237	189	158	237	189	158
130	109	292	234	195	272	218	182	272	218	182	255	204	170	255	204	170
140	117	313	251	209	292	234	195	292	234	195	274	219	183	274	219	183
150	126	338	270	225	315	252	210	315	252	210	295	236	197	295	236	197
160	134	359	287	239	335	268	223	335	268	223	314	251	209	314	251	209
170	142	380	304	254	355	284	237	355	284	237	333	266	222	333	266	222
180	150	402	321	268	375	300	250	375	300	250	352	281	234	352	281	234
190	159	426	341	284	398	318	265	398	318	265	373	298	248	373	298	248
200	167	447	358	298	418	334	278	418	334	278	391	313	261	391	313	261
210	175	469	375	312	438	350	292	438	350	292	410	328	273	410	328	273
220	184	493	394	329	460	368	307	460	368	307	431	345	288	431	345	288
230	192	514	411	343	480	384	320	480	384	320	450	360	300	450	360	300
240	200	536	429	357	500	400	333	500	400	333	469	375	312	469	375	312
250	209	560	448	373	522	418	348	522	418	348	490	392	327	490	392	327
260	217	581	465	388	542	434	362	542	434	362	509	407	339	509	407	339
270	225		482	402	562	450	375	562	450	375	527	422	352	527	422	352
280	234		501	418	585	468	390	585	468	390	548	439	366	548	439	366
290	242		519	432		484	403		484	403	567	454	378	567	454	378
300	250		536	446		500	417		500	417	586	469	391	586	469	391
310	259		555	462		518	432		518	432		486	405		486	405
320	267		572	477		534	445		534	445		501	417		501	417
330	276		591	493		552	460		552	460		518	431		518	431
340	284			507		568	473		568	473		532	444		532	444
350	293			523		586	488		586	488		549	458		549	458

NOVALIA Novaem											AXIS - H (hydr.) 30 / 40					
PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											épandage normal					
	33 m			33 m			35 m			35 m			36 m			
	S 6			S 8			S 6			S 8			S 6			
<b>l/min</b>	900			750			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	5			4			6			5			6			
	186			177			186			219			186			
	4			3			5			4			5			
<b>l/min</b>	600			500			650			600			650			
	5			4			6			5			6			
<b>l/min</b>	700			600			750			700			750			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	49.9	113			113			107			107			104		
70	58	132	105		132	105		124			124			121		
80	67	152	122	102	152	122	102	144	115		144	115		140	112	
90	76	173	138	115	173	138	115	163	130	109	163	130	109	158	127	106
100	84	191	153	127	191	153	127	180	144	120	180	144	120	175	140	117
110	93	211	169	141	211	169	141	199	159	133	199	159	133	194	155	129
120	101	230	184	153	230	184	153	216	173	144	216	173	144	210	168	140
130	109	248	198	165	248	198	165	234	187	156	234	187	156	227	182	151
140	117	266	213	177	266	213	177	251	201	167	251	201	167	244	195	162
150	126	286	229	191	286	229	191	270	216	180	270	216	180	262	210	175
160	134	305	244	203	305	244	203	287	230	191	287	230	191	279	223	186
170	142	323	258	215	323	258	215	304	243	203	304	243	203	296	237	197
180	150	341	273	227	341	273	227	321	257	214	321	257	214	312	250	208
190	159	361	289	241	361	289	241	341	273	227	341	273	227	331	265	221
200	167	380	304	253	380	304	253	358	286	239	358	286	239	348	278	232
210	175	398	318	265	398	318	265	375	300	250	375	300	250	365	292	243
220	184	418	335	279	418	335	279	394	315	263	394	315	263	383	307	256
230	192	436	349	291	436	349	291	411	329	274	411	329	274	400	320	267
240	200	455	364	303	455	364	303	429	343	286	429	343	286	417	333	278
250	209	475	380	317	475	380	317	448	358	299	448	358	299	435	348	290
260	217	493	395	329	493	395	329	465	372	310	465	372	310	452	362	301
270	225	511	409	341	511	409	341	482	386	321	482	386	321	469	375	312
280	234	532	425	355	532	425	355	501	401	334	501	401	334	488	390	325
290	242	550	440	367	550	440	367	519	415	346	519	415	346	504	403	336
300	250	568	455	379	568	455	379	536	429	357	536	429	357	521	417	347
310	259	589	471	392	589	471	392	555	444	370	555	444	370	540	432	360
320	267		485	405		485	405	572	458	381	572	458	381	556	445	371
330	276		502	418		502	418	591	473	394	591	473	394	575	460	383
340	284		516	430		516	430	609	487	406		487	406	592	473	394
350	293		533	444		533	444	628	502	419		502	419	611	488	407
360	301		547	456		547	456	647	516	430		516	430	630	502	418

NOVALIA Novaem PK 14 - 9 + 26%S + 18%CaO, 1,11 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	36 m			39 m			40 m			42 m						
	S 8			S 8			S 8			S 8						
l/min	900			900			900			900						
	50 / 50			50 / 50			50 / 50			50 / 50						
	5			5,5			5,5			6						
	219			219			219			219						
	4			4,5			4,5			5						
l/min	600			650			650			700						
	5			5,5			5,5			6						
l/min	700			750			750			800						
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	49.9	104														
70	58	121			112			109			104					
80	67	140	112		129	103		126	100		120					
90	76	158	127	106	146	117		142	114		136	109				
100	84	175	140	117	162	129	108	158	126	105	150	120	100			
110	93	194	155	129	179	143	119	174	140	116	166	133	111			
120	101	210	168	140	194	155	129	189	152	126	180	144	120			
130	109	227	182	151	210	168	140	204	164	136	195	156	130			
140	117	244	195	162	225	180	150	219	176	146	209	167	139			
150	126	262	210	175	242	194	162	236	189	158	225	180	150			
160	134	279	223	186	258	206	172	251	201	168	239	191	160			
170	142	296	237	197	273	218	182	266	213	178	254	203	169			
180	150	312	250	208	288	231	192	281	225	188	268	214	179			
190	159	331	265	221	306	245	204	298	238	199	284	227	189			
200	167	348	278	232	321	257	214	313	250	209	298	239	199			
210	175	365	292	243	337	269	224	328	262	219	312	250	208			
220	184	383	307	256	354	283	236	345	276	230	329	263	219			
230	192	400	320	267	369	295	246	360	288	240	343	274	229			
240	200	417	333	278	385	308	256	375	300	250	357	286	238			
250	209	435	348	290	402	322	268	392	314	261	373	299	249			
260	217	452	362	301	417	334	278	407	326	271	388	310	258			
270	225	469	375	312	433	346	288	422	338	281	402	321	268			
280	234	488	390	325	450	360	300	439	351	292	418	334	279			
290	242	504	403	336	465	372	310	454	363	302	432	346	288			
300	250	521	417	347	481	385	321	469	375	312	446	357	298			
310	259	540	432	360	498	398	332	486	388	324	462	370	308			
320	267	556	445	371	513	411	342	501	400	334	477	381	318			
330	276	575	460	383	531	425	354	518	414	345	493	394	329			
340	284	592	473	394	546	437	364	532	426	355	507	406	338			
350	293		488	407	563	451	376	549	440	366	523	419	349			
360	301		502	418	579	463	386	564	452	376	538	430	358			