














































NOVASTAN Novaem 25%P + 22%SO <sub>3</sub> , 1,15 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	18 m	20 m			21 m			24 m			24 m					
	S 4	S 4			S 4			S 4			S 6					
l/min	900	900			900			900			900					
	50 / 50	50 / 50			50 / 50			50 / 50			50 / 50					
	4	4,5			4,5			5,5			5					
	158	158			158			158			178					
	2,5	3			3			4			3,5					
l/min	400	450			450			500			400					
	4	4,5			4,5			5,5			5					
l/min	500	550			550			600			550					
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	30.3	126	101		114			108			120			120		
50	38.3	160	128	106	144	115		137	109		144	116		144	116	
60	46.2	192	154	128	173	139	116	165	132	110	144	116	112	144	116	112
70	54	225	180	150	202	162	135	193	154	129	169	135	112	169	135	112
80	62	258	207	172	232	186	155	221	177	148	194	155	129	194	155	129
90	70	292	233	194	262	210	175	250	200	167	219	175	146	219	175	146
100	78	325	260	217	292	234	195	279	223	186	244	195	162	244	195	162
110	85	354	283	236	319	255	212	304	243	202	266	212	177	266	212	177
120	92	383	307	256	345	276	230	329	263	219	288	230	192	288	230	192
130	100	417	333	278	375	300	250	357	286	238	312	250	208	312	250	208
140	107	446	357	297	401	321	268	382	306	255	334	268	223	334	268	223
150	115	479	383	319	431	345	288	411	329	274	359	288	240	359	288	240
160	122	508	407	339	458	366	305	436	349	290	381	305	254	381	305	254
170	130	542	433	361	488	390	325	464	371	310	406	325	271	406	325	271
180	137	571	457	381	514	411	342	489	391	326	428	342	285	428	342	285
190	145		483	403	544	435	362	518	414	345	453	362	302	453	362	302
200	152		507	422	570	456	380	543	434	362	475	380	317	475	380	317
210	160		533	444	600	480	400	571	457	381	500	400	333	500	400	333
220	168		560	467		504	420	600	480	400	525	420	350	525	420	350
230	176		587	489		528	440		503	419	550	440	367	550	440	367
240	184			511		552	460		526	438	575	460	383	575	460	383
250	192			533		576	480		549	457	600	480	400	600	480	400
260	200			556		600	500		571	476		500	417		500	417
270	208			578			520		594	495		520	433		520	433
280	216			600			540			514		540	450		540	450
290	224						560			533		560	467		560	467
300	232						580			552		580	483		580	483
310	241									574			502			502
320	250									595			521			521
330	258												538			538
340	267												556			556

NOVASTAN Novaem 25%P + 22%SO <sub>3</sub> , 1,15 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
		25 m			25 m			27 m			27 m			28 m		
		S 4			S 6			S 4			S 6			S 4		
1/min		900			900			900			900			900		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5,5			5			6,5			5,5			6,5		
		158			178			158			178			158		
		4			3,5			5			4,5			5		
1/min		500			400			550			450			550		
		5,5			5			6,5			5,5			6,5		
1/min		600			550			650			600			650		
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8 10 12			8 10 12			8 10 12			8 10 12			8 10 12		
50	38.3	115			115			106			106			103		
60	46.2	139	111		139	111		128	103		128	103		124		
70	54	162	130	108	162	130	108	150	120	100	150	120	100	145	116	
80	62	186	149	124	186	149	124	172	138	115	172	138	115	166	133	111
90	70	210	168	140	210	168	140	194	156	130	194	156	130	188	150	125
100	78	234	187	156	234	187	156	217	173	144	217	173	144	209	167	139
110	85	255	204	170	255	204	170	236	189	157	236	189	157	228	182	152
120	92	276	221	184	276	221	184	256	204	170	256	204	170	246	197	164
130	100	300	240	200	300	240	200	278	222	185	278	222	185	268	214	179
140	107	321	257	214	321	257	214	297	238	198	297	238	198	287	229	191
150	115	345	276	230	345	276	230	319	256	213	319	256	213	308	246	205
160	122	366	293	244	366	293	244	339	271	226	339	271	226	327	261	218
170	130	390	312	260	390	312	260	361	289	241	361	289	241	348	279	232
180	137	411	329	274	411	329	274	381	304	254	381	304	254	367	294	245
190	145	435	348	290	435	348	290	403	322	269	403	322	269	388	311	259
200	152	456	365	304	456	365	304	422	338	281	422	338	281	407	326	271
210	160	480	384	320	480	384	320	444	356	296	444	356	296	429	343	286
220	168	504	403	336	504	403	336	467	373	311	467	373	311	450	360	300
230	176	528	422	352	528	422	352	489	391	326	489	391	326	471	377	314
240	184	552	442	368	552	442	368	511	409	341	511	409	341	493	394	329
250	192	576	461	384	576	461	384	533	427	356	533	427	356	514	411	343
260	200	600	480	400	600	480	400	556	444	370	556	444	370	536	429	357
270	208		499	416		499	416	578	462	385	578	462	385	557	446	371
280	216		518	432		518	432	600	480	400	600	480	400	579	463	386
290	224		538	448		538	448		498	415		498	415	600	480	400
300	232		557	464		557	464		516	430		516	430		497	414
310	241		578	482		578	482		536	446		536	446		516	430
320	250		600	500		600	500		556	463		556	463		536	446
330	258			516			516		573	478		573	478		553	461
340	267			534			534		593	494		593	494		572	477
350	276			552			552			511			511		591	493

NOVASTAN Novaem 25%P + 22%SO <sub>3</sub> , 1,15 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	28 m	30 m			30 m			32 m			32 m					
	S 6	S 6			S 8			S 6			S 8					
1/min	900	900			900			900			900					
	50 / 50	50 / 50			50 / 50			50 / 50			50 / 50					
	5,5	6,5			6			7			6,5					
	178	178			195			178			195					
	4,5	5,5			5			6			5					
1/min	450	500			500			550			550					
	5,5	6,5			6			7			6,5					
1/min	600	650			600			700			650					
0.9											kg / ha					
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	38.3	103														
60	46.2	124			116			116			108			108		
70	54	145	116		135	108		135	108		127	101		127	101	
80	62	166	133	111	155	124	103	155	124	103	145	116		145	116	
90	70	188	150	125	175	140	117	175	140	117	164	131	109	164	131	109
100	78	209	167	139	195	156	130	195	156	130	183	146	122	183	146	122
110	85	228	182	152	212	170	142	212	170	142	199	159	133	199	159	133
120	92	246	197	164	230	184	153	230	184	153	216	172	144	216	172	144
130	100	268	214	179	250	200	167	250	200	167	234	188	156	234	188	156
140	107	287	229	191	268	214	178	268	214	178	251	201	167	251	201	167
150	115	308	246	205	288	230	192	288	230	192	270	216	180	270	216	180
160	122	327	261	218	305	244	203	305	244	203	286	229	191	286	229	191
170	130	348	279	232	325	260	217	325	260	217	305	244	203	305	244	203
180	137	367	294	245	342	274	228	342	274	228	321	257	214	321	257	214
190	145	388	311	259	362	290	242	362	290	242	340	272	227	340	272	227
200	152	407	326	271	380	304	253	380	304	253	356	285	238	356	285	238
210	160	429	343	286	400	320	267	400	320	267	375	300	250	375	300	250
220	168	450	360	300	420	336	280	420	336	280	394	315	262	394	315	262
230	176	471	377	314	440	352	293	440	352	293	412	330	275	412	330	275
240	184	493	394	329	460	368	307	460	368	307	431	345	288	431	345	288
250	192	514	411	343	480	384	320	480	384	320	450	360	300	450	360	300
260	200	536	429	357	500	400	333	500	400	333	469	375	312	469	375	312
270	208	557	446	371	520	416	347	520	416	347	488	390	325	488	390	325
280	216	579	463	386	540	432	360	540	432	360	506	405	338	506	405	338
290	224	600	480	400	560	448	373	560	448	373	525	420	350	525	420	350
300	232		497	414	580	464	387	580	464	387	544	435	362	544	435	362
310	241		516	430		482	402		482	402	565	452	377	565	452	377
320	250		536	446		500	417		500	417	586	469	391	586	469	391
330	258		553	461		516	430		516	430		484	403		484	403
340	267		572	477		534	445		534	445		501	417		501	417
350	276		591	493		552	460		552	460		518	431		518	431

NOVASTAN Novaem 25%P + 22%SO <sub>3</sub> , 1,15 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	33 m			33 m			35 m			35 m			36 m			
	S 6			S 8			S 6			S 8			S 6			
1/min	900			900			900			1000			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	7			6,5			8			7,5			8			
	178			195			178			209			178			
	6			5			7			6			7			
1/min	550			550			650			600			650			
	7			6,5			8			7,5			8			
1/min	700			650			800			750			800			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	46.2	105			105											
70	54	123			123			116			116			112		
80	62	141	113		141	113		133	106		133	106		129	103	
90	70	159	127	106	159	127	106	150	120	100	150	120	100	146	117	
100	78	177	142	118	177	142	118	167	134	111	167	134	111	162	130	108
110	85	193	155	129	193	155	129	182	146	121	182	146	121	177	142	118
120	92	209	167	139	209	167	139	197	158	131	197	158	131	192	153	128
130	100	227	182	152	227	182	152	214	171	143	214	171	143	208	167	139
140	107	243	195	162	243	195	162	229	183	153	229	183	153	223	178	149
150	115	261	209	174	261	209	174	246	197	164	246	197	164	240	192	160
160	122	277	222	185	277	222	185	261	209	174	261	209	174	254	203	169
170	130	295	236	197	295	236	197	279	223	186	279	223	186	271	217	181
180	137	311	249	208	311	249	208	294	235	196	294	235	196	285	228	190
190	145	330	264	220	330	264	220	311	249	207	311	249	207	302	242	201
200	152	345	276	230	345	276	230	326	261	217	326	261	217	317	253	211
210	160	364	291	242	364	291	242	343	274	229	343	274	229	333	267	222
220	168	382	305	255	382	305	255	360	288	240	360	288	240	350	280	233
230	176	400	320	267	400	320	267	377	302	251	377	302	251	367	293	244
240	184	418	335	279	418	335	279	394	315	263	394	315	263	383	307	256
250	192	436	349	291	436	349	291	411	329	274	411	329	274	400	320	267
260	200	455	364	303	455	364	303	429	343	286	429	343	286	417	333	278
270	208	473	378	315	473	378	315	446	357	297	446	357	297	433	347	289
280	216	491	393	327	491	393	327	463	370	309	463	370	309	450	360	300
290	224	509	407	339	509	407	339	480	384	320	480	384	320	467	373	311
300	232	527	422	352	527	422	352	497	398	331	497	398	331	483	387	322
310	241	548	438	365	548	438	365	516	413	344	516	413	344	502	402	335
320	250	568	455	379	568	455	379	536	429	357	536	429	357	521	417	347
330	258	586	469	391	586	469	391	553	442	369	553	442	369	538	430	358
340	267		485	405		485	405	572	458	381	572	458	381	556	445	371
350	276		502	418		502	418	591	473	394	591	473	394	575	460	383
360	284		516	430		516	430		487	406		487	406	592	473	394

NOVASTAN Novaem 25%P + 22%SO <sub>3</sub> , 1,15 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	36 m	39 m			40 m											
	S 8	S 8			S 8											
<b>l/min</b>	1000	1100			1100											
	50 / 50	50 / 50			50 / 50											
	7,5	8,5			8,5											
	209	215			215											
	6	7			7											
<b>l/min</b>	600	700			700											
	7,5	--			--											
<b>l/min</b>	750	--			--											
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
70	54	112			104			101								
80	62	129	103		119			116								
90	70	146	117		135	108		131	105							
100	78	162	130	108	150	120	100	146	117							
110	85	177	142	118	163	131	109	159	128	106						
120	92	192	153	128	177	142	118	172	138	115						
130	100	208	167	139	192	154	128	188	150	125						
140	107	223	178	149	206	165	137	201	160	134						
150	115	240	192	160	221	177	147	216	172	144						
160	122	254	203	169	235	188	156	229	183	152						
170	130	271	217	181	250	200	167	244	195	162						
180	137	285	228	190	263	211	176	257	206	171						
190	145	302	242	201	279	223	186	272	218	181						
200	152	317	253	211	292	234	195	285	228	190						
210	160	333	267	222	308	246	205	300	240	200						
220	168	350	280	233	323	258	215	315	252	210						
230	176	367	293	244	338	271	226	330	264	220						
240	184	383	307	256	354	283	236	345	276	230						
250	192	400	320	267	369	295	246	360	288	240						
260	200	417	333	278	385	308	256	375	300	250						
270	208	433	347	289	400	320	267	390	312	260						
280	216	450	360	300	415	332	277	405	324	270						
290	224	467	373	311	431	345	287	420	336	280						
300	232	483	387	322	446	357	297	435	348	290						
310	241	502	402	335	463	371	309	452	362	301						
320	250	521	417	347	481	385	321	469	375	312						
330	258	538	430	358	496	397	331	484	387	322						
340	267	556	445	371	513	411	342	501	400	334						
350	276	575	460	383	531	425	354	518	414	345						
360	284	592	473	394	546	437	364	532	426	355						
370	293		488	407	563	451	376	549	440	366						