

















































NOVASTAN N 37 Novaem 37%N + 20%SO <sub>3</sub> , 0,80 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		12 m			12 m			15 m			15 m			16 m		
		S 1			S 2			S 1			S 2			S 1		
		450			450			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		4,5			4,5			5			5			5		
		56			56			66			66			66		
		H 12			H 12			K 12,5			K 12,5			K 12,5		
		390			390			420			420			420		
		K 12,5			K 12,5			L 13			L 13			L 13		
		450			450			480			480			480		
0.65		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	22.0	138	110		138	110		110			110			103		
50	28.2	176	141	118	176	141	118	141	113		141	113		132	106	
60	34.6	216	173	144	216	173	144	173	138	115	173	138	115	162	130	108
70	40.9	256	204	170	256	204	170	204	164	136	204	164	136	192	153	128
80	47.3	296	236	197	296	236	197	236	189	158	236	189	158	222	177	148
90	54	338	270	225	338	270	225	270	216	180	270	216	180	253	202	169
100	60	375	300	250	375	300	250	300	240	200	300	240	200	281	225	188
110	66	412	330	275	412	330	275	330	264	220	330	264	220	309	248	206
120	72	450	360	300	450	360	300	360	288	240	360	288	240	338	270	225
130	78	488	390	325	488	390	325	390	312	260	390	312	260	366	292	244
140	84	525	420	350	525	420	350	420	336	280	420	336	280	394	315	262
150	90	562	450	375	562	450	375	450	360	300	450	360	300	422	338	281
160	96	600	480	400	600	480	400	480	384	320	480	384	320	450	360	300
170	102		510	425		510	425	510	408	340	510	408	340	478	382	319
180	108		540	450		540	450	540	432	360	540	432	360	506	405	338
190	114		570	475		570	475	570	456	380	570	456	380	534	428	356
200	120		600	500		600	500	600	480	400	600	480	400	562	450	375
210	126			525			525		504	420		504	420	591	472	394
220	132			550			550		528	440		528	440		495	412
230	138			575			575		552	460		552	460		518	431
240	143			596			596		572	477		572	477		536	447
250	149								596	497		596	497		559	466
260	155									517			517		581	484
270	161									537			537			503
280	167									557			557			522
290	173									577			577			541
300	178									593			593			556
310	185															578
320	191															597

NOVASTAN N 37 Novaem 37%N + 20%SO <sub>3</sub> , 0,80 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		16 m			18 m			18 m			18 m			20 m		
		S 2			S 1			S 2			S 4			S 4		
		540			540			540			450			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5			6			6			3,5			4,5		
		66			66			66			66			84		
		K 12,5			K 13			K 13						H 13,5		
		420			480			480						420		
		L 13			L 13,5			L 13,5			K 13,5			N 14		
		480			540			540			450			480		
0.65		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	22.0	103														
50	28.2	132	106		118			118			118			106		
60	34.6	162	130	108	144	115		144	115		144	115		130	104	
70	40.9	192	153	128	170	136	114	170	136	114	170	136	114	153	123	102
80	47.3	222	177	148	197	158	131	197	158	131	197	158	131	177	142	118
90	54	253	202	169	225	180	150	225	180	150	225	180	150	202	162	135
100	60	281	225	188	250	200	167	250	200	167	250	200	167	225	180	150
110	66	309	248	206	275	220	183	275	220	183	275	220	183	248	198	165
120	72	338	270	225	300	240	200	300	240	200	300	240	200	270	216	180
130	78	366	292	244	325	260	217	325	260	217	325	260	217	292	234	195
140	84	394	315	262	350	280	233	350	280	233	350	280	233	315	252	210
150	90	422	338	281	375	300	250	375	300	250	375	300	250	338	270	225
160	96	450	360	300	400	320	267	400	320	267	400	320	267	360	288	240
170	102	478	382	319	425	340	283	425	340	283	425	340	283	382	306	255
180	108	506	405	338	450	360	300	450	360	300	450	360	300	405	324	270
190	114	534	428	356	475	380	317	475	380	317	475	380	317	428	342	285
200	120	562	450	375	500	400	333	500	400	333	500	400	333	450	360	300
210	126	591	472	394	525	420	350	525	420	350	525	420	350	472	378	315
220	132		495	412	550	440	367	550	440	367	550	440	367	495	396	330
230	138		518	431	575	460	383	575	460	383	575	460	383	518	414	345
240	143		536	447	596	477	397	596	477	397	596	477	397	536	429	358
250	149		559	466		497	414		497	414		497	414	559	447	372
260	155		581	484		517	431		517	431		517	431	581	465	388
270	161			503		537	447		537	447		537	447		483	402
280	167			522		557	464		557	464		557	464		501	418
290	173			541		577	481		577	481		577	481		519	432
300	178			556		593	494		593	494		593	494		534	445
310	185			578			514			514			514		555	462
320	191			597			531			531			531		573	478

NOVASTAN N 37 Novaem 37%N + 20%SO <sub>3</sub> , 0,80 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		21 m			24 m			24 m			25 m			25 m		
		S 4			S 4			S 6			S 4			S 6		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5			6			5			6			5		
		84			84			99			84			99		
		H 13,5			K 14			L 13,5			K 14			L 13,5		
		420			480			480			540			480		
		N 14			R 14			P 14			R 14			P 14		
		480			540			540			540			540		
0.65		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	28.2	101														
60	34.6	124			108			108			104			104		
70	40.9	146	117		128	102		128	102		123			123		
80	47.3	169	135	113	148	118		148	118		142	114		142	114	
90	54	193	154	129	169	135	112	169	135	112	162	130	108	162	130	108
100	60	214	171	143	188	150	125	188	150	125	180	144	120	180	144	120
110	66	236	189	157	206	165	138	206	165	138	198	158	132	198	158	132
120	72	257	206	171	225	180	150	225	180	150	216	173	144	216	173	144
130	78	279	223	186	244	195	162	244	195	162	234	187	156	234	187	156
140	84	300	240	200	262	210	175	262	210	175	252	202	168	252	202	168
150	90	321	257	214	281	225	188	281	225	188	270	216	180	270	216	180
160	96	343	274	229	300	240	200	300	240	200	288	230	192	288	230	192
170	102	364	291	243	319	255	212	319	255	212	306	245	204	306	245	204
180	108	386	309	257	338	270	225	338	270	225	324	259	216	324	259	216
190	114	407	326	271	356	285	238	356	285	238	342	274	228	342	274	228
200	120	429	343	286	375	300	250	375	300	250	360	288	240	360	288	240
210	126	450	360	300	394	315	262	394	315	262	378	302	252	378	302	252
220	132	471	377	314	412	330	275	412	330	275	396	317	264	396	317	264
230	138	493	394	329	431	345	288	431	345	288	414	331	276	414	331	276
240	143	511	409	340	447	358	298	447	358	298	429	343	286	429	343	286
250	149	532	426	355	466	372	310	466	372	310	447	358	298	447	358	298
260	155	554	443	369	484	388	323	484	388	323	465	372	310	465	372	310
270	161	575	460	383	503	402	335	503	402	335	483	386	322	483	386	322
280	167	596	477	398	522	418	348	522	418	348	501	401	334	501	401	334
290	173		494	412	541	432	360	541	432	360	519	415	346	519	415	346
300	178		509	424	556	445	371	556	445	371	534	427	356	534	427	356
310	185		529	440	578	462	385	578	462	385	555	444	370	555	444	370
320	191		546	455	597	478	398	597	478	398	573	458	382	573	458	382
330	197		563	469		492	410		492	410	591	473	394	591	473	394

NOVASTAN N 37 Novaem 37%N + 20%SO <sub>3</sub> , 0,80 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		27 m			27 m			28 m			28 m			30 m		
		S 4			S 6			S 4			S 6			S 6		
		540			540			540			540			570		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		7			6			7			6			6,5		
		84			99			84			99			102		
		K 14			L 14			K 14			L 14			O 14		
		540			480			540			480			540		
		T 14			R 14			T 14			R 14			--		
		540			540			540			540			--		
0.65		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
70	40.9	114			114			110			110			102		
80	47.3	131	105		131	105		127	101		127	101		118		
90	54	150	120	100	150	120	100	145	116		145	116		135	108	
100	60	167	133	111	167	133	111	161	129	107	161	129	107	150	120	100
110	66	183	147	122	183	147	122	177	141	118	177	141	118	165	132	110
120	72	200	160	133	200	160	133	193	154	129	193	154	129	180	144	120
130	78	217	173	144	217	173	144	209	167	139	209	167	139	195	156	130
140	84	233	187	156	233	187	156	225	180	150	225	180	150	210	168	140
150	90	250	200	167	250	200	167	241	193	161	241	193	161	225	180	150
160	96	267	213	178	267	213	178	257	206	171	257	206	171	240	192	160
170	102	283	227	189	283	227	189	273	219	182	273	219	182	255	204	170
180	108	300	240	200	300	240	200	289	231	193	289	231	193	270	216	180
190	114	317	253	211	317	253	211	305	244	204	305	244	204	285	228	190
200	120	333	267	222	333	267	222	321	257	214	321	257	214	300	240	200
210	126	350	280	233	350	280	233	338	270	225	338	270	225	315	252	210
220	132	367	293	244	367	293	244	354	283	236	354	283	236	330	264	220
230	138	383	307	256	383	307	256	370	296	246	370	296	246	345	276	230
240	143	397	318	265	397	318	265	383	306	255	383	306	255	358	286	238
250	149	414	331	276	414	331	276	399	319	266	399	319	266	372	298	248
260	155	431	344	287	431	344	287	415	332	277	415	332	277	388	310	258
270	161	447	358	298	447	358	298	431	345	288	431	345	288	402	322	268
280	167	464	371	309	464	371	309	447	358	298	447	358	298	418	334	278
290	173	481	384	320	481	384	320	463	371	309	463	371	309	432	346	288
300	178	494	396	330	494	396	330	477	381	318	477	381	318	445	356	297
310	185	514	411	343	514	411	343	496	396	330	496	396	330	462	370	308
320	191	531	424	354	531	424	354	512	409	341	512	409	341	478	382	318
330	197	547	438	365	547	438	365	528	422	352	528	422	352	492	394	328
340	204	567	453	378	567	453	378	546	437	364	546	437	364	510	408	340
350	210	583	467	389	583	467	389	562	450	375	562	450	375	525	420	350

NOVASTAN N 37 Novaem 37%N + 20%SO <sub>3</sub> , 0,80 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		30 m			32 m			32 m			33 m			33 m		
		S 8			S 6			S 8			S 6			S 8		
		540			660			600			660			600		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		7,5			7			7,5			7			7,5		
		160			159			168			159			168		
		O 14			O 14			O 14			O 14			O 14		
		480			600			540			660			540		
		T 14			--			V 14			--			V 14		
		540			--			600			--			600		
0.65		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
70	40.9	102														
80	47.3	118			111			111			108			108		
90	54	135	108		127	101		127	101		123			123		
100	60	150	120	100	141	112		141	112		136	109		136	109	
110	66	165	132	110	155	124	103	155	124	103	150	120	100	150	120	100
120	72	180	144	120	169	135	112	169	135	112	164	131	109	164	131	109
130	78	195	156	130	183	146	122	183	146	122	177	142	118	177	142	118
140	84	210	168	140	197	158	131	197	158	131	191	153	127	191	153	127
150	90	225	180	150	211	169	141	211	169	141	205	164	136	205	164	136
160	96	240	192	160	225	180	150	225	180	150	218	175	145	218	175	145
170	102	255	204	170	239	191	159	239	191	159	232	185	155	232	185	155
180	108	270	216	180	253	202	169	253	202	169	245	196	164	245	196	164
190	114	285	228	190	267	214	178	267	214	178	259	207	173	259	207	173
200	120	300	240	200	281	225	188	281	225	188	273	218	182	273	218	182
210	126	315	252	210	295	236	197	295	236	197	286	229	191	286	229	191
220	132	330	264	220	309	248	206	309	248	206	300	240	200	300	240	200
230	138	345	276	230	323	259	216	323	259	216	314	251	209	314	251	209
240	143	358	286	238	335	268	223	335	268	223	325	260	217	325	260	217
250	149	372	298	248	349	279	233	349	279	233	339	271	226	339	271	226
260	155	388	310	258	363	291	242	363	291	242	352	282	235	352	282	235
270	161	402	322	268	377	302	252	377	302	252	366	293	244	366	293	244
280	167	418	334	278	391	313	261	391	313	261	380	304	253	380	304	253
290	173	432	346	288	405	324	270	405	324	270	393	315	262	393	315	262
300	178	445	356	297	417	334	278	417	334	278	405	324	270	405	324	270
310	185	462	370	308	434	347	289	434	347	289	420	336	280	420	336	280
320	191	478	382	318	448	358	298	448	358	298	434	347	289	434	347	289
330	197	492	394	328	462	369	308	462	369	308	448	358	298	448	358	298
340	204	510	408	340	478	382	319	478	382	319	464	371	309	464	371	309
350	210	525	420	350	492	394	328	492	394	328	477	382	318	477	382	318