









































































NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		12 m			12 m			15 m			15 m			16 m		
		S 1			S 2			S 1			S 2			S 1		
		420			420			450			450			450		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		4,5			4,5			5			5			5		
		52			52			55			55			55		
		H 12			H 12			H 12,5			H 12,5			H 12,5		
		390			390			420			420			420		
		K 12,5			K 12,5			L 13			L 13			L 13		
		420			420			450			450			450		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
30	16.7	104			104											
40	23.5	147	118		147	118				118				110		
50	30.4	190	152	127	190	152	127	152	122	101	152	122	101	142	114	
60	37.7	236	188	157	236	188	157	188	151	126	188	151	126	177	141	118
70	45.0	281	225	188	281	225	188	225	180	150	225	180	150	211	169	141
80	52	325	260	217	325	260	217	260	208	173	260	208	173	244	195	162
90	60	375	300	250	375	300	250	300	240	200	300	240	200	281	225	188
100	67	419	335	279	419	335	279	335	268	223	335	268	223	314	251	209
110	73	456	365	304	456	365	304	365	292	243	365	292	243	342	274	228
120	79	494	395	329	494	395	329	395	316	263	395	316	263	370	296	247
130	85	531	425	354	531	425	354	425	340	283	425	340	283	398	319	266
140	92	575	460	383	575	460	383	460	368	307	460	368	307	431	345	288
150	98		490	408		490	408	490	392	327	490	392	327	459	368	306
160	104		520	433		520	433	520	416	347	520	416	347	488	390	325
170	110		550	458		550	458	550	440	367	550	440	367	516	412	344
180	116		580	483		580	483	580	464	387	580	464	387	544	435	362
190	122			508			508		488	407		488	407	572	458	381
200	128			533			533		512	427		512	427	600	480	400
210	135			562			562		540	450		540	450		506	422
220	141			588			588		564	470		564	470		529	441
230	148								592	493		592	493		555	462
240	154									513			513		578	481
250	160									533			533		600	500
260	167									557			557			522
270	173									577			577			541
280	180									600			600			562
290	186															581
300	192															600

NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		16 m			18 m			18 m			18 m			20 m		
		S 2			S 1			S 2			S 4			S 4		
		450			540			540			450			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5			6,5			6,5			4			5		
		55			75			75			75			91		
		H 12,5			K 13			K 13						K 13,5		
		420			480			480						420		
		L 13			L 13			L 13			K 13,5			L 14		
		450			540			540			450			480		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	23.5	110														
50	30.4	142	114		127	101		127	101		127	101		114		
60	37.7	177	141	118	157	126	105	157	126	105	157	126	105	141	113	
70	45.0	211	169	141	188	150	125	188	150	125	188	150	125	169	135	112
80	52	244	195	162	217	173	144	217	173	144	217	173	144	195	156	130
90	60	281	225	188	250	200	167	250	200	167	250	200	167	225	180	150
100	67	314	251	209	279	223	186	279	223	186	279	223	186	251	201	168
110	73	342	274	228	304	243	203	304	243	203	304	243	203	274	219	182
120	79	370	296	247	329	263	219	329	263	219	329	263	219	296	237	198
130	85	398	319	266	354	283	236	354	283	236	354	283	236	319	255	212
140	92	431	345	288	383	307	256	383	307	256	383	307	256	345	276	230
150	98	459	368	306	408	327	272	408	327	272	408	327	272	368	294	245
160	104	488	390	325	433	347	289	433	347	289	433	347	289	390	312	260
170	110	516	412	344	458	367	306	458	367	306	458	367	306	412	330	275
180	116	544	435	362	483	387	322	483	387	322	483	387	322	435	348	290
190	122	572	458	381	508	407	339	508	407	339	508	407	339	458	366	305
200	128	600	480	400	533	427	356	533	427	356	533	427	356	480	384	320
210	135		506	422	562	450	375	562	450	375	562	450	375	506	405	338
220	141		529	441	588	470	392	588	470	392	588	470	392	529	423	352
230	148		555	462		493	411		493	411		493	411	555	444	370
240	154		578	481		513	428		513	428		513	428	578	462	385
250	160		600	500		533	444		533	444		533	444	600	480	400
260	167			522		557	464		557	464		557	464		501	418
270	173			541		577	481		577	481		577	481		519	432
280	180			562		600	500		600	500		600	500		540	450
290	186			581			517			517			517		558	465
300	192			600			533			533			533		576	480
310	199						553			553			553		597	498
320	205						569			569			569			512













NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		21 m			24 m			24 m			24 m			25 m		
		S 4			S 4			S 6			S 6			S 4		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5			6			5,5			5			6		
		91			91			157			157			91		
		K 13,5			K 13,5			L 14			K 14			K 13,5		
		420			480			420			420			480		
		L 14			Q 14			O 14			O 14			Q 14		
		480			540			540			540			540		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	30.4	109														
60	37.7	135	108		118			118						113		
70	45.0	161	129	107	141	112		141	112					135	108	
80	52	186	149	124	162	130	108	162	130	108				156	125	104
90	60	214	171	143	188	150	125	188	150	125				180	144	120
100	67	239	191	160	209	168	140	209	168	140				201	161	134
110	73	261	209	174	228	182	152	228	182	152				219	175	146
120	79	282	226	188	247	198	165	247	198	165				237	190	158
130	85	304	243	202	266	212	177	266	212	177				255	204	170
140	92	329	263	219	288	230	192	288	230	192				276	221	184
150	98	350	280	233	306	245	204	306	245	204				294	235	196
160	104	371	297	248	325	260	217	325	260	217				312	250	208
170	110	393	314	262	344	275	229	344	275	229				330	264	220
180	116	414	331	276	362	290	242	362	290	242				348	278	232
190	122	436	349	290	381	305	254	381	305	254				366	293	244
200	128	457	366	305	400	320	267	400	320	267				384	307	256
210	135	482	386	321	422	338	281	422	338	281				405	324	270
220	141	504	403	336	441	352	294	441	352	294				423	338	282
230	148	529	423	352	462	370	308	462	370	308				444	355	296
240	154	550	440	367	481	385	321	481	385	321				462	370	308
250	160	571	457	381	500	400	333	500	400	333	500	400	333	480	384	320
260	167	596	477	398	522	418	348	522	418	348	522	418	348	501	401	334
270	173		494	412	541	432	360	541	432	360	541	432	360	519	415	346
280	180		514	429	562	450	375	562	450	375	562	450	375	540	432	360
290	186		531	443	581	465	388				581	465	388	558	446	372
300	192		549	457	600	480	400				600	480	400	576	461	384
310	199		569	474		498	415					498	415	597	478	398
320	205		586	488		512	427					512	427		492	410
330	212			505		530	442					530	442		509	424

NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		25 m			25 m			27 m			27 m			27 m		
		S 6			S 6			S 4			S 6			S 6		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5,5			5			7			6,5			6		
		157			157			91			157			157		
		K 14			K 14			L 14			K 14			K 14		
		420			420			480			480			480		
		O 14			O 14			S 14			Q 14			Q 14		
		540			540			540			540			540		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	37.7	113						105			105					
70	45.0	135	108					125	100		125	100				
80	52	156	125	104				144	116		144	116				
90	60	180	144	120				167	133	111	167	133	111			
100	67	201	161	134				186	149	124	186	149	124			
110	73	219	175	146				203	162	135	203	162	135			
120	79	237	190	158				219	176	146	219	176	146			
130	85	255	204	170				236	189	157	236	189	157			
140	92	276	221	184				256	204	170	256	204	170			
150	98	294	235	196				272	218	181	272	218	181			
160	104	312	250	208				289	231	193	289	231	193			
170	110	330	264	220				306	244	204	306	244	204			
180	116	348	278	232				322	258	215	322	258	215			
190	122	366	293	244				339	271	226	339	271	226			
200	128	384	307	256				356	284	237	356	284	237			
210	135	405	324	270				375	300	250	375	300	250			
220	141	423	338	282				392	313	261	392	313	261			
230	148	444	355	296				411	329	274	411	329	274			
240	154	462	370	308				428	342	285	428	342	285			
250	160	480	384	320	480	384	320	444	356	296	444	356	296	444	356	296
260	167	501	401	334	501	401	334	464	371	309	464	371	309	464	371	309
270	173	519	415	346	519	415	346	481	384	320	481	384	320	481	384	320
280	180	540	432	360	540	432	360	500	400	333	500	400	333	500	400	333
290	186				558	446	372	517	413	344				517	413	344
300	192				576	461	384	533	427	356				533	427	356
310	199				597	478	398	553	442	369				553	442	369
320	205					492	410	569	456	380				569	456	380
330	212					509	424	589	471	393				589	471	393
340	218					523	436		484	404					484	404

NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		28 m			28 m			28 m			30 m			30 m		
		S 4			S 6			S 6			S 6			S 6		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		7			6,5			6			7,5			7		
		91			158			157			157			157		
		L 14			K 14			K 14			L 14			L 14		
		480			480			480			480			480		
		S 14			Q 14			Q 14			T 14			T 14		
		540			540			540			540			540		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	37.7	101			101											
70	45.0	121			121						112					
80	52	139	111		139	111					130	104				
90	60	161	129	107	161	129	107				150	120	100			
100	67	179	144	120	179	144	120				168	134	112			
110	73	196	156	130	196	156	130				182	146	122			
120	79	212	169	141	212	169	141				198	158	132			
130	85	228	182	152	228	182	152				212	170	142			
140	92	246	197	164	246	197	164				230	184	153			
150	98	262	210	175	262	210	175				245	196	163			
160	104	279	223	186	279	223	186				260	208	173			
170	110	295	236	196	295	236	196				275	220	183			
180	116	311	249	207	311	249	207				290	232	193			
190	122	327	261	218	327	261	218				305	244	203			
200	128	343	274	229	343	274	229				320	256	213			
210	135	362	289	241	362	289	241				338	270	225			
220	141	378	302	252	378	302	252				352	282	235			
230	148	396	317	264	396	317	264				370	296	247			
240	154	412	330	275	412	330	275				385	308	257			
250	160	429	343	286	429	343	286	429	343	286	400	320	267	400	320	267
260	167	447	358	298	447	358	298	447	358	298	418	334	278	418	334	278
270	173	463	371	309	463	371	309	463	371	309	432	346	288	432	346	288
280	180	482	386	321	482	386	321	482	386	321	450	360	300	450	360	300
290	186	498	399	332				498	399	332				465	372	310
300	192	514	411	343				514	411	343				480	384	320
310	199	533	426	355				533	426	355				498	398	332
320	205	549	439	366				549	439	366				512	410	342
330	212	568	454	379				568	454	379				530	424	353
340	218	584	467	389				584	467	389				545	436	363

NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											épardage normal						AXIS - M (mech.) 30 / 40		
	30 m			32 m			32 m			32 m									
	S 8			S 6			S 6			S 8									
	540			540			540			540									
	50 / 50			50 / 50			50 / 50			50 / 50									
	7			8			7,5			7									
	172			157			157			172									
	L 14			M 14			M 14			M 14									
	480			540			540			480									
	S 14			U 14			U 14			T 14									
	540			540			540			540									
	0.70	kg / ha																	
		km/h			km/h			km/h			km/h			km/h					
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12			
70	45.0	112			105						105								
80	52	130	104		122						122								
90	60	150	120	100	141	112					141	112							
100	67	168	134	112	157	126	105				157	126	105						
110	73	182	146	122	171	137	114				171	137	114						
120	79	198	158	132	185	148	123				185	148	123						
130	85	212	170	142	199	159	133				199	159	133						
140	92	230	184	153	216	172	144				216	172	144						
150	98	245	196	163	230	184	153				230	184	153						
160	104	260	208	173	244	195	162				244	195	162						
170	110	275	220	183	258	206	172				258	206	172						
180	116	290	232	193	272	218	181				272	218	181						
190	122	305	244	203	286	229	191				286	229	191						
200	128	320	256	213	300	240	200				300	240	200						
210	135	338	270	225	316	253	211				316	253	211						
220	141	352	282	235	330	264	220				330	264	220						
230	148	370	296	247	347	278	231				347	278	231						
240	154	385	308	257	361	289	241				361	289	241						
250	160	400	320	267	375	300	250	375	300	250	375	300	250						
260	167	418	334	278	391	313	261	391	313	261	391	313	261						
270	173	432	346	288	405	324	270	405	324	270	405	324	270						
280	180	450	360	300	422	338	281	422	338	281	422	338	281						
290	186	465	372	310				436	349	291	436	349	291						
300	192	480	384	320				450	360	300	450	360	300						
310	199	498	398	332				466	373	311	466	373	311						
320	205	512	410	342				480	384	320	480	384	320						
330	212	530	424	353				497	398	331	497	398	331						
340	218	545	436	363				511	409	341	511	409	341						
350	225	562	450	375				527	422	352	527	422	352						

NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											épardage normal						AXIS - M (mech.) 30 / 40					
		33 m			33 m			33 m			35 m			35 m								
		S 6			S 6			S 8			S 6			S 8								
		540			540			540			660			540								
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50								
		8			7,5			7			8,5			8								
		157			157			172			167			172								
		M 14			M 14			M 14			O 14			O 14								
		540			540			480			600			510								
		U 14			U 14			T 14			X 14,5			X 14,5								
		540			540			540			660			540								
0.70		kg / ha																				
		km/h			km/h			km/h			km/h			km/h								
		8 10 12			8 10 12			8 10 12			8 10 12			8 10 12								
70	45.0	102							102													
80	52	118							118			111			111							
90	60	136	109						136	109		129	103		129	103						
100	67	152	122	102					152	122	102	144	115		144	115						
110	73	166	133	111					166	133	111	156	125	104	156	125	104					
120	79	180	144	120					180	144	120	169	135	113	169	135	113					
130	85	193	155	129					193	155	129	182	146	121	182	146	121					
140	92	209	167	139					209	167	139	197	158	131	197	158	131					
150	98	223	178	148					223	178	148	210	168	140	210	168	140					
160	104	236	189	158					236	189	158	223	178	149	223	178	149					
170	110	250	200	167					250	200	167	236	189	157	236	189	157					
180	116	264	211	176					264	211	176	249	199	166	249	199	166					
190	122	277	222	185					277	222	185	261	209	174	261	209	174					
200	128	291	233	194					291	233	194	274	219	183	274	219	183					
210	135	307	245	205					307	245	205	289	231	193	289	231	193					
220	141	320	256	214					320	256	214	302	242	201	302	242	201					
230	148	336	269	224					336	269	224	317	254	211	317	254	211					
240	154	350	280	233					350	280	233	330	264	220	330	264	220					
250	160	364	291	242	364	291	242	364	291	242	343	274	229	343	274	229						
260	167	380	304	253	380	304	253	380	304	253	358	286	239	358	286	239						
270	173	393	315	262	393	315	262	393	315	262	371	297	247	371	297	247						
280	180	409	327	273	409	327	273	409	327	273	386	309	257	386	309	257						
290	186				423	338	282	423	338	282	399	319	266	399	319	266						
300	192				436	349	291	436	349	291	411	329	274	411	329	274						
310	199				452	362	302	452	362	302	426	341	284	426	341	284						
320	205				466	373	311	466	373	311	439	351	293	439	351	293						
330	212				482	385	321	482	385	321	454	363	303	454	363	303						
340	218				495	396	330	495	396	330	467	374	311	467	374	311						
350	225				511	409	341	511	409	341	482	386	321	482	386	321						

NOVASTAN N 40 Novaem 40%N + 13%S, 0,76 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
	36 m			36 m												
	S 6			S 8												
	660			540												
	50 / 50			50 / 50												
	8,5			8,5												
	167			172												
	O 14			O 14												
	600			510												
	X 14,5			X 14,5												
	660			540												
	0.70	kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
80	52	108			108											
90	60	125	100		125	100										
100	67	140	112		140	112										
110	73	152	122	101	152	122	101									
120	79	165	132	110	165	132	110									
130	85	177	142	118	177	142	118									
140	92	192	153	128	192	153	128									
150	98	204	163	136	204	163	136									
160	104	217	173	144	217	173	144									
170	110	229	183	153	229	183	153									
180	116	242	193	161	242	193	161									
190	122	254	203	169	254	203	169									
200	128	267	213	178	267	213	178									
210	135	281	225	188	281	225	188									
220	141	294	235	196	294	235	196									
230	148	308	247	206	308	247	206									
240	154	321	257	214	321	257	214									
250	160	333	267	222	333	267	222									
260	167	348	278	232	348	278	232									
270	173	360	288	240	360	288	240									
280	180	375	300	250	375	300	250									
290	186	388	310	258	388	310	258									
300	192	400	320	267	400	320	267									
310	199	415	332	276	415	332	276									
320	205	427	342	285	427	342	285									
330	212	442	353	294	442	353	294									
340	218	454	363	303	454	363	303									
350	225	469	375	312	469	375	312									
360	231	481	385	321	481	385	321									