














































P XK Novaem PK 19 - 14 + 21%SO ₃ , 1,07 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		12 m			12 m			15 m			15 m			16 m		
		S 1			S 2			S 1			S 2			S 1		
		450			450			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		6			6			6			6			6		
		72			72			88			88			88		
		H 12			H 12			H 12			H 12			H 12		
		400			400			450			450			450		
		K 12,5			K 12,5			K 12,5			K 12,5			K 12,5		
		450			450			540			540			540		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	36.5	228			228											
70	43.7	273	218		273	218		218			218			205		
80	51	319	255	212	319	255	212	255	204		255	204		239		
90	58	362	290	242	362	290	242	290	232		290	232		272	218	
100	65	406	325	271	406	325	271	325	260	217	325	260	217	305	244	203
110	72	450	360	300	450	360	300	360	288	240	360	288	240	338	270	225
120	78	488	390	325	488	390	325	390	312	260	390	312	260	366	292	244
130	85	531	425	354	531	425	354	425	340	283	425	340	283	398	319	266
140	92	575	460	383	575	460	383	460	368	307	460	368	307	431	345	288
150	98		490	408		490	408	490	392	327	490	392	327	459	368	306
160	105		525	438		525	438	525	420	350	525	420	350	492	394	328
170	112		560	467		560	467	560	448	373	560	448	373	525	420	350
180	118		590	492		590	492	590	472	393	590	472	393	553	442	369
190	125			521			521		500	417		500	417	586	469	391
200	132			550			550		528	440		528	440		495	412
210	138			575			575		552	460		552	460		518	431
220	145								580	483		580	483		544	453
230	152									507			507		570	475
240	159									530			530		596	497
250	166									553			553			519
260	173									577			577			541
270	180									600			600			562
280	187															584













P XK Novaem PK 19 - 14 + 21%SO ₃ , 1,07 kg / l											é p a n d a g e n o r m a l						A X I S - M (m e c h .) 3 0 / 4 0					
		16 m			18 m			18 m			18 m			20 m								
		S 2			S 1			S 2			S 4			S 4								
		540			540			540			450			540								
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50								
		6			6,5			6,5			4			4,5								
		88			88			88			87			158								
		H 12			K 12,5			K 12,5						K 13								
		450			480			480						420								
		K 12,5			K 13			K 13			L 13			O 13								
		540			540			540			450			540								
0.70		k g / h a																				
		k m / h			k m / h			k m / h			k m / h			k m / h								
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12						
70	43.7	205																				
80	51	239			212			212			212											
90	58	272	218		242			242			242			218								
100	65	305	244	203	271	217		271	217		271	217		244								
110	72	338	270	225	300	240	200	300	240	200	300	240	200	270	216							
120	78	366	292	244	325	260	217	325	260	217	325	260	217	292	234							
130	85	398	319	266	354	283	236	354	283	236	354	283	236	319	255	212						
140	92	431	345	288	383	307	256	383	307	256	383	307	256	345	276	230						
150	98	459	368	306	408	327	272	408	327	272	408	327	272	368	294	245						
160	105	492	394	328	438	350	292	438	350	292	438	350	292	394	315	262						
170	112	525	420	350	467	373	311	467	373	311	467	373	311	420	336	280						
180	118	553	442	369	492	393	328	492	393	328	492	393	328	442	354	295						
190	125	586	469	391	521	417	347	521	417	347	521	417	347	469	375	312						
200	132		495	412	550	440	367	550	440	367	550	440	367	495	396	330						
210	138		518	431	575	460	383	575	460	383	575	460	383	518	414	345						
220	145		544	453		483	403		483	403		483	403	544	435	362						
230	152		570	475		507	422		507	422		507	422	570	456	380						
240	159		596	497		530	442		530	442		530	442	596	477	398						
250	166			519		553	461		553	461		553	461		498	415						
260	173			541		577	481		577	481		577	481		519	432						
270	180			562		600	500		600	500		600	500		540	450						
280	187			584			519			519			519		561	468						
290	194						539			539			539		582	485						
300	201						558			558			558			502						
310	208						578			578			578			520						
320	215						597			597			597			538						
330	222															555						
340	229															572						
350	236															590						

P XK Novaem PK 19 - 14 + 21%SO ₃ , 1,07 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		21 m			24 m			24 m			25 m			25 m		
		S 4			S 4			S 6			S 4			S 6		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5			5			4			5			4		
		158			158			178			158			178		
		K 13			K 13			K 13			K 13			K 13		
		420			480			420			480			420		
		O 13			R 13			P 13			R 13			P 13		
		540			540			540			540			540		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
90	58	207														
100	65	232			203			203								
110	72	257	206		225			225			216			216		
120	78	279	223		244			244			234			234		
130	85	304	243	202	266	212		266	212		255	204		255	204	
140	92	329	263	219	288	230		288	230		276	221		276	221	
150	98	350	280	233	306	245	204	306	245	204	294	235		294	235	
160	105	375	300	250	328	262	219	328	262	219	315	252	210	315	252	210
170	112	400	320	267	350	280	233	350	280	233	336	269	224	336	269	224
180	118	421	337	281	369	295	246	369	295	246	354	283	236	354	283	236
190	125	446	357	298	391	312	260	391	312	260	375	300	250	375	300	250
200	132	471	377	314	412	330	275	412	330	275	396	317	264	396	317	264
210	138	493	394	329	431	345	288	431	345	288	414	331	276	414	331	276
220	145	518	414	345	453	362	302	453	362	302	435	348	290	435	348	290
230	152	543	434	362	475	380	317	475	380	317	456	365	304	456	365	304
240	159	568	454	379	497	398	331	497	398	331	477	382	318	477	382	318
250	166	593	474	395	519	415	346	519	415	346	498	398	332	498	398	332
260	173		494	412	541	432	360	541	432	360	519	415	346	519	415	346
270	180		514	429	562	450	375	562	450	375	540	432	360	540	432	360
280	187		534	445	584	468	390	584	468	390	561	449	374	561	449	374
290	194		554	462		485	404		485	404	582	466	388	582	466	388
300	201		574	479		502	419		502	419		482	402		482	402
310	208		594	495		520	433		520	433		499	416		499	416
320	215			512		538	448		538	448		516	430		516	430
330	222			529		555	462		555	462		533	444		533	444
340	229			545		572	477		572	477		550	458		550	458
350	236			562		590	492		590	492		566	472		566	472
360	242			576			504			504		581	484		581	484
370	249			593			519			519		598	498		598	498

P XK Novaem PK 19 - 14 + 21%SO ₃ , 1,07 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		27 m			27 m			28 m			28 m			30 m		
		S 4			S 6			S 4			S 6			S 6		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		5			4,5			5			5			5		
		158			178			158			178			178		
		K 13			K 13			K 13			K 13			K 13		
		540			480			540			480			540		
		S 13,5			Q 13			S 13,5			Q 13			R 13,5		
		540			540			540			540			540		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
110	72	200			200											
120	78	217			217			209			209					
130	85	236			236			228			228			212		
140	92	256	204		256	204		246			246			230		
150	98	272	218		272	218		262	210		262	210		245		
160	105	292	233		292	233		281	225		281	225		262	210	
170	112	311	249	207	311	249	207	300	240	200	300	240	200	280	224	
180	118	328	262	219	328	262	219	316	253	211	316	253	211	295	236	
190	125	347	278	231	347	278	231	335	268	223	335	268	223	312	250	208
200	132	367	293	244	367	293	244	354	283	236	354	283	236	330	264	220
210	138	383	307	256	383	307	256	370	296	246	370	296	246	345	276	230
220	145	403	322	269	403	322	269	388	311	259	388	311	259	362	290	242
230	152	422	338	281	422	338	281	407	326	271	407	326	271	380	304	253
240	159	442	353	294	442	353	294	426	341	284	426	341	284	398	318	265
250	166	461	369	307	461	369	307	445	356	296	445	356	296	415	332	277
260	173	481	384	320	481	384	320	463	371	309	463	371	309	432	346	288
270	180	500	400	333	500	400	333	482	386	321	482	386	321	450	360	300
280	187	519	416	346	519	416	346	501	401	334	501	401	334	468	374	312
290	194	539	431	359	539	431	359	520	416	346	520	416	346	485	388	323
300	201	558	447	372	558	447	372	538	431	359	538	431	359	502	402	335
310	208	578	462	385	578	462	385	557	446	371	557	446	371	520	416	347
320	215	597	478	398	597	478	398	576	461	384	576	461	384	538	430	358
330	222		493	411		493	411	595	476	396	595	476	396	555	444	370
340	229		509	424		509	424		491	409		491	409	572	458	382
350	236		524	437		524	437		506	421		506	421	590	472	393
360	242		538	448		538	448		519	432		519	432		484	403
370	249		553	461		553	461		534	445		534	445		498	415
380	256		569	474		569	474		549	457		549	457		512	427
390	263		584	487		584	487		564	470		564	470		526	438

P XK Novaem PK 19 - 14 + 21%SO ₃ , 1,07 kg / l											AXIS - M (mech.) 30 / 40					
épandage normal																
		30 m			32 m			32 m			33 m			33 m		
		S 8			S 6			S 8			S 6			S 8		
		540			540			540			540			540		
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50		
		4			5			4,5			5			4,5		
		195			178			195			178			195		
		K 13			L 13			K 13			L 13			K 13		
		480			540			540			540			540		
		Q 13,5			T 13,5			S 13,5			T 13,5			S 13,5		
		540			540			540			540			540		
0.70		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
130	85	212														
140	92	230			216			216			209			209		
150	98	245			230			230			223			223		
160	105	262	210		246			246			239			239		
170	112	280	224		262	210		262	210		255	204		255	204	
180	118	295	236		277	221		277	221		268	215		268	215	
190	125	312	250	208	293	234		293	234		284	227		284	227	
200	132	330	264	220	309	248	206	309	248	206	300	240	200	300	240	200
210	138	345	276	230	323	259	216	323	259	216	314	251	209	314	251	209
220	145	362	290	242	340	272	227	340	272	227	330	264	220	330	264	220
230	152	380	304	253	356	285	238	356	285	238	345	276	230	345	276	230
240	159	398	318	265	373	298	248	373	298	248	361	289	241	361	289	241
250	166	415	332	277	389	311	259	389	311	259	377	302	252	377	302	252
260	173	432	346	288	405	324	270	405	324	270	393	315	262	393	315	262
270	180	450	360	300	422	338	281	422	338	281	409	327	273	409	327	273
280	187	468	374	312	438	351	292	438	351	292	425	340	283	425	340	283
290	194	485	388	323	455	364	303	455	364	303	441	353	294	441	353	294
300	201	502	402	335	471	377	314	471	377	314	457	365	305	457	365	305
310	208	520	416	347	488	390	325	488	390	325	473	378	315	473	378	315
320	215	538	430	358	504	403	336	504	403	336	489	391	326	489	391	326
330	222	555	444	370	520	416	347	520	416	347	505	404	336	505	404	336
340	229	572	458	382	537	429	358	537	429	358	520	416	347	520	416	347
350	236	590	472	393	553	442	369	553	442	369	536	429	358	536	429	358
360	242		484	403	567	454	378	567	454	378	550	440	367	550	440	367
370	249		498	415	584	467	389	584	467	389	566	453	377	566	453	377
380	256		512	427	600	480	400	600	480	400	582	465	388	582	465	388
390	263		526	438		493	411		493	411	598	478	398	598	478	398
400	270		540	450		506	422		506	422		491	409		491	409
410	279		558	465		523	436		523	436		507	423		507	423

P XK Novaem PK 19 - 14 + 21%SO ₃ , 1,07 kg / l											é p a n d a g e n o r m a l						A X I S - M (m e c h .) 3 0 / 4 0					
		35 m			35 m			36 m			36 m			39 m								
		S 6			S 8			S 6			S 8			S 8								
		540			540			540			540			540								
		50 / 50			50 / 50			50 / 50			50 / 50			50 / 50								
		6			5			6			5			6								
		178			195			178			195			195								
		P 13			O 13			P 13			O 13			P 13,5								
		540			540			540			540			540								
		V 13,5			U 13,5			V 13,5			U 13,5			--								
		540			540			540			540			--								
0.70		k g / h a																				
		k m / h			k m / h			k m / h			k m / h			k m / h								
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12						
150	98	210			210			204			204											
160	105	225			225			219			219			202								
170	112	240			240			233			233			215								
180	118	253	202		253	202		246			246			227								
190	125	268	214		268	214		260	208		260	208		240								
200	132	283	226		283	226		275	220		275	220		254	203							
210	138	296	237		296	237		288	230		288	230		265	212							
220	145	311	249	207	311	249	207	302	242	201	302	242	201	279	223							
230	152	326	261	217	326	261	217	317	253	211	317	253	211	292	234							
240	159	341	273	227	341	273	227	331	265	221	331	265	221	306	245	204						
250	166	356	285	237	356	285	237	346	277	231	346	277	231	319	255	213						
260	173	371	297	247	371	297	247	360	288	240	360	288	240	333	266	222						
270	180	386	309	257	386	309	257	375	300	250	375	300	250	346	277	231						
280	187	401	321	267	401	321	267	390	312	260	390	312	260	360	288	240						
290	194	416	333	277	416	333	277	404	323	269	404	323	269	373	298	249						
300	201	431	345	287	431	345	287	419	335	279	419	335	279	387	309	258						
310	208	446	357	297	446	357	297	433	347	289	433	347	289	400	320	267						
320	215	461	369	307	461	369	307	448	358	299	448	358	299	413	331	276						
330	222	476	381	317	476	381	317	462	370	308	462	370	308	427	342	285						
340	229	491	393	327	491	393	327	477	382	318	477	382	318	440	352	294						
350	236	506	405	337	506	405	337	492	393	328	492	393	328	454	363	303						
360	242	519	415	346	519	415	346	504	403	336	504	403	336	465	372	310						
370	249	534	427	356	534	427	356	519	415	346	519	415	346	479	383	319						
380	256	549	439	366	549	439	366	533	427	356	533	427	356	492	394	328						
390	263	564	451	376	564	451	376	548	438	365	548	438	365	506	405	337						
400	270	579	463	386	579	463	386	562	450	375	562	450	375	519	415	346						
410	279	598	478	399	598	478	399	581	465	388	581	465	388	537	429	358						
420	287		492	410		492	410	598	478	399	598	478	399	552	442	368						
430	296		507	423		507	423		493	411		493	411	569	455	379						

P XK Novaem											AXIS - M (mech.) 30 / 40					
PK 19 - 14 + 21%SO ₃ , 1,07 kg / l											épandage normal					
	40 m															
	S 8															
	540															
	50 / 50															
	6															
	195															
	P 13,5															
	540															
	--															
	--															
	0.70	kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
170	112	210														
180	118	221														
190	125	234														
200	132	248														
210	138	259	207													
220	145	272	218													
230	152	285	228													
240	159	298	238													
250	166	311	249	208												
260	173	324	260	216												
270	180	338	270	225												
280	187	351	280	234												
290	194	364	291	242												
300	201	377	302	251												
310	208	390	312	260												
320	215	403	322	269												
330	222	416	333	278												
340	229	429	344	286												
350	236	442	354	295												
360	242	454	363	302												
370	249	467	374	311												
380	256	480	384	320												
390	263	493	394	329												
400	270	506	405	338												
410	279	523	418	349												
420	287	538	430	359												
430	296	555	444	370												
440	304	570	456	380												
450	313	587	470	391												