














































SULF ALIA Novaem 45%CaO + 35%SO <sub>3</sub> , 1,19 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	18 m			20 m			21 m			24 m			24 m			
	S 4			S 4			S 4			S 4			S 6			
1/min	900			900			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	3			3			3			3,5			3			
	161			161			161			161			181			
	1,5			1,5			1,5			2			1,5			
1/min	350			400			400			450			400			
	3			3			3			3,5			3			
1/min	450			500			500			550			500			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
40	30.0	125	100		112			107			120			120		
50	38.4	160	128	107	144	115		137	110		120			120		
60	47.6	198	159	132	178	143	119	170	136	113	149	119		149	119	
70	57	238	190	158	214	171	142	204	163	136	178	142	119	178	142	119
80	66	275	220	183	248	198	165	236	189	157	206	165	138	206	165	138
90	75	312	250	208	281	225	188	268	214	179	234	188	156	234	188	156
100	85	354	283	236	319	255	212	304	243	202	266	212	177	266	212	177
110	93	388	310	258	349	279	232	332	266	221	291	232	194	291	232	194
120	102	425	340	283	382	306	255	364	291	243	319	255	212	319	255	212
130	110	458	367	306	412	330	275	393	314	262	344	275	229	344	275	229
140	119	496	397	331	446	357	298	425	340	283	372	298	248	372	298	248
150	127	529	423	353	476	381	318	454	363	302	397	318	265	397	318	265
160	136	567	453	378	510	408	340	486	389	324	425	340	283	425	340	283
170	144	600	480	400	540	432	360	514	411	343	450	360	300	450	360	300
180	153		510	425	574	459	382	546	437	364	478	382	319	478	382	319
190	162		540	450		486	405	579	463	386	506	405	338	506	405	338
200	170		567	472		510	425		486	405	531	425	354	531	425	354
210	178		593	494		534	445		509	424	556	445	371	556	445	371
220	187			519		561	468		534	445	584	468	390	584	468	390
230	196			544		588	490		560	467		490	408		490	408
240	204			567			510		583	486		510	425		510	425
250	213			592			532			507		532	444		532	444
260	221						552			526		552	460		552	460
270	230						575			548		575	479		575	479
280	238						595			567		595	496		595	496
290	247									588			515			515
300	255												531			531
310	264												550			550
320	273												569			569
330	282												588			588

SULF ALIA Novaem 45%CaO + 35%SO <sub>3</sub> , 1,19 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	25 m			25 m			27 m			27 m			28 m			
	S 4			S 6			S 4			S 6			S 4			
<b>l/min</b>	900			900			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	3,5			3			4,5			4			4,5			
	161			181			161			181			161			
	2			1,5			3			2,5			3			
<b>l/min</b>	450			400			500			450			500			
	3,5			3			4,5			4			4,5			
<b>l/min</b>	550			500			600			550			600			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	38.4	115			115			107			107			103		
60	47.6	143	114		143	114		132	106		132	106		128	102	
70	57	171	137	114	171	137	114	158	127	106	158	127	106	153	122	102
80	66	198	158	132	198	158	132	183	147	122	183	147	122	177	141	118
90	75	225	180	150	225	180	150	208	167	139	208	167	139	201	161	134
100	85	255	204	170	255	204	170	236	189	157	236	189	157	228	182	152
110	93	279	223	186	279	223	186	258	207	172	258	207	172	249	199	166
120	102	306	245	204	306	245	204	283	227	189	283	227	189	273	219	182
130	110	330	264	220	330	264	220	306	244	204	306	244	204	295	236	196
140	119	357	286	238	357	286	238	331	264	220	331	264	220	319	255	212
150	127	381	305	254	381	305	254	353	282	235	353	282	235	340	272	227
160	136	408	326	272	408	326	272	378	302	252	378	302	252	364	291	243
170	144	432	346	288	432	346	288	400	320	267	400	320	267	386	309	257
180	153	459	367	306	459	367	306	425	340	283	425	340	283	410	328	273
190	162	486	389	324	486	389	324	450	360	300	450	360	300	434	347	289
200	170	510	408	340	510	408	340	472	378	315	472	378	315	455	364	304
210	178	534	427	356	534	427	356	494	396	330	494	396	330	477	381	318
220	187	561	449	374	561	449	374	519	416	346	519	416	346	501	401	334
230	196	588	470	392	588	470	392	544	436	363	544	436	363	525	420	350
240	204		490	408		490	408	567	453	378	567	453	378	546	437	364
250	213		511	426		511	426	592	473	394	592	473	394	571	456	380
260	221		530	442		530	442		491	409		491	409	592	474	395
270	230		552	460		552	460		511	426		511	426		493	411
280	238		571	476		571	476		529	441		529	441		510	425
290	247		593	494		593	494		549	457		549	457		529	441
300	255			510			510		567	472		567	472		546	455
310	264			528			528		587	489		587	489		566	471
320	273			546			546			506			506		585	488
330	282			564			564			522			522			504
340	291			582			582			539			539			520
350	300			600			600			556			556			536

SULF ALIA Novaem 45%CaO + 35%SO <sub>3</sub> , 1,19 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	28 m			30 m			30 m			32 m			32 m			
	S 6			S 6			S 8			S 6			S 8			
<b>l/min</b>	900			900			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	4			4,5			2			5			2,5			
	181			181			210			181			210			
	2,5			3			1			3,5			1,5			
<b>l/min</b>	450			500			500			550			550			
	4			4,5			2			5			2,5			
<b>l/min</b>	550			600			600			650			650			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
50	38.4	103														
60	47.6	128	102		119			119			112			112		
70	57	153	122	102	142	114		142	114		134	107		134	107	
80	66	177	141	118	165	132	110	165	132	110	155	124	103	155	124	103
90	75	201	161	134	188	150	125	188	150	125	176	141	117	176	141	117
100	85	228	182	152	212	170	142	212	170	142	199	159	133	199	159	133
110	93	249	199	166	232	186	155	232	186	155	218	174	145	218	174	145
120	102	273	219	182	255	204	170	255	204	170	239	191	159	239	191	159
130	110	295	236	196	275	220	183	275	220	183	258	206	172	258	206	172
140	119	319	255	212	298	238	198	298	238	198	279	223	186	279	223	186
150	127	340	272	227	318	254	212	318	254	212	298	238	198	298	238	198
160	136	364	291	243	340	272	227	340	272	227	319	255	212	319	255	212
170	144	386	309	257	360	288	240	360	288	240	338	270	225	338	270	225
180	153	410	328	273	382	306	255	382	306	255	359	287	239	359	287	239
190	162	434	347	289	405	324	270	405	324	270	380	304	253	380	304	253
200	170	455	364	304	425	340	283	425	340	283	398	319	266	398	319	266
210	178	477	381	318	445	356	297	445	356	297	417	334	278	417	334	278
220	187	501	401	334	468	374	312	468	374	312	438	351	292	438	351	292
230	196	525	420	350	490	392	327	490	392	327	459	368	306	459	368	306
240	204	546	437	364	510	408	340	510	408	340	478	382	319	478	382	319
250	213	571	456	380	532	426	355	532	426	355	499	399	333	499	399	333
260	221	592	474	395	552	442	368	552	442	368	518	414	345	518	414	345
270	230		493	411	575	460	383	575	460	383	539	431	359	539	431	359
280	238		510	425	595	476	397	595	476	397	558	446	372	558	446	372
290	247		529	441		494	412		494	412	579	463	386	579	463	386
300	255		546	455		510	425		510	425	598	478	398	598	478	398
310	264		566	471		528	440		528	440		495	412		495	412
320	273		585	488		546	455		546	455		512	427		512	427
330	282			504		564	470		564	470		529	441		529	441
340	291			520		582	485		582	485		546	455		546	455
350	300			536		600	500		600	500		562	469		562	469

SULF ALIA Novaem 45%CaO + 35%SO <sub>3</sub> , 1,19 kg / l											AXIS - H (hydr.) 30 / 40					
épandage normal																
	33 m			33 m			35 m			35 m			36 m			
	S 6			S 8			S 6			S 8			S 6			
1/min	900			900			900			900			900			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	5			2,5			5,5			3,5			6			
	181			210			181			210			181			
	3,5			1,5			4			2,5			4,5			
1/min	550			550			600			650			600			
	5			2,5			5,5			3,5			6			
1/min	650			650			700			750			700			
0.9		kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
60	47.6	108			108			102			102					
70	57	130	104		130	104		122			122			119		
80	66	150	120	100	150	120	100	141	113		141	113		138	110	
90	75	170	136	114	170	136	114	161	129	107	161	129	107	156	125	104
100	85	193	155	129	193	155	129	182	146	121	182	146	121	177	142	118
110	93	211	169	141	211	169	141	199	159	133	199	159	133	194	155	129
120	102	232	185	155	232	185	155	219	175	146	219	175	146	212	170	142
130	110	250	200	167	250	200	167	236	189	157	236	189	157	229	183	153
140	119	270	216	180	270	216	180	255	204	170	255	204	170	248	198	165
150	127	289	231	192	289	231	192	272	218	181	272	218	181	265	212	176
160	136	309	247	206	309	247	206	291	233	194	291	233	194	283	227	189
170	144	327	262	218	327	262	218	309	247	206	309	247	206	300	240	200
180	153	348	278	232	348	278	232	328	262	219	328	262	219	319	255	212
190	162	368	295	245	368	295	245	347	278	231	347	278	231	338	270	225
200	170	386	309	258	386	309	258	364	291	243	364	291	243	354	283	236
210	178	405	324	270	405	324	270	381	305	254	381	305	254	371	297	247
220	187	425	340	283	425	340	283	401	321	267	401	321	267	390	312	260
230	196	445	356	297	445	356	297	420	336	280	420	336	280	408	327	272
240	204	464	371	309	464	371	309	437	350	291	437	350	291	425	340	283
250	213	484	387	323	484	387	323	456	365	304	456	365	304	444	355	296
260	221	502	402	335	502	402	335	474	379	316	474	379	316	460	368	307
270	230	523	418	348	523	418	348	493	394	329	493	394	329	479	383	319
280	238	541	433	361	541	433	361	510	408	340	510	408	340	496	397	331
290	247	561	449	374	561	449	374	529	423	353	529	423	353	515	412	343
300	255	580	464	386	580	464	386	546	437	364	546	437	364	531	425	354
310	264	600	480	400	600	480	400	566	453	377	566	453	377	550	440	367
320	273		496	414		496	414	585	468	390	585	468	390	569	455	379
330	282		513	427		513	427		483	403		483	403	588	470	392
340	291		529	441		529	441		499	416		499	416		485	404
350	300		545	455		545	455		514	429		514	429		500	417
360	309		562	468		562	468		530	441		530	441		515	429

SULF ALIA Novaem											AXIS - H (hydr.) 30 / 40					
45%CaO + 35%SO <sub>3</sub> , 1,19 kg / l											épandage normal					
	36 m															
	S 8															
<b>l/min</b>	900															
	50 / 50															
	3,5															
	210															
	2,5															
<b>l/min</b>	650															
	3,5															
<b>l/min</b>	750															
	0.9	kg / ha														
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
70	57	119														
80	66	138	110													
90	75	156	125	104												
100	85	177	142	118												
110	93	194	155	129												
120	102	212	170	142												
130	110	229	183	153												
140	119	248	198	165												
150	127	265	212	176												
160	136	283	227	189												
170	144	300	240	200												
180	153	319	255	212												
190	162	338	270	225												
200	170	354	283	236												
210	178	371	297	247												
220	187	390	312	260												
230	196	408	327	272												
240	204	425	340	283												
250	213	444	355	296												
260	221	460	368	307												
270	230	479	383	319												
280	238	496	397	331												
290	247	515	412	343												
300	255	531	425	354												
310	264	550	440	367												
320	273	569	455	379												
330	282	588	470	392												
340	291		485	404												
350	300		500	417												
360	309		515	429												
370	318		530	442												